

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit semiannual written reports that (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

E. Testing Requirements

1. Compliance with the emission limitations in section A.1 of the terms and conditions of this permit shall be determined in accordance with the following methods:

~~a. Emission Limitations~~

~~PE shall not exceed 1.3 pounds/hr~~

~~PE shall not exceed 5.7 tons/yr~~

~~Applicable Compliance Method~~

~~If required, the permittee shall demonstrate compliance with the hourly allowable PE limitation based on the results of emission testing conducted in accordance with Methods 1 - 5 of 40 CFR Part 60, Appendix A.~~

~~The annual emission limitation was established by multiplying the hourly emission limitation by a maximum operating schedule of 8,760 hours per year and dividing by 2000 lbs per ton. Therefore, provided compliance is shown with the hourly limitation, compliance with the annual limitation shall be assumed.~~

~~b. Emission Limitations~~

~~Visible PE shall not exceed 5% opacity, as a 6-minute average.~~

~~Applicable Compliance Method~~

~~If required, the permittee shall demonstrate compliance with visible PE limitation in accordance with Method 9 of 40 CFR Part 60, Appendix A.~~

- a. **Emission Limitation**
PE shall not exceed 9.9 TPY.

Applicable Compliance Method

The permittee shall demonstrate compliance with the annual allowable PE limitation above by multiplying the maximum hourly controlled PE rate [(9.4 pounds/hr) x (1 - 0.9) = 0.94 lb/hr] by the maximum annual number of hours of operation (8760 hours/yr), and then dividing by 2000 lbs/ton.

F. Miscellaneous Requirements

1. Notes to permit writer concerning this permit:

- The maximum uncontrolled annual emissions from this emissions unit would be approximately 41 tons; therefore, the permittee elected a voluntary annual allowable PE limitation of less than 10 tons PE/yr to avoid BAT.
- The "eliminate" version of the visible emissions (VE) check language has been included in the permit since the controlled PE rate is 0.94 lb/hr to ensure that the baghouse is operating properly and in accordance with the manufacturer's specifications.