



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

**JAN 11 2013**

Susan Hedman  
Regional Administrator  
U.S. EPA, Region 5  
77 West Jackson Blvd. R-19J  
Chicago, Illinois 60604-3507

Re: Request for Review and Approval of the Revised Lima Area Maintenance Plan Approval for the 1997 Eight-Hour Ozone Standard

Dear Administrator Hedman:

I am writing to formally request review and approval of a revision to the maintenance plan for the Lima area (Allen County) with respect to the 1997 eight-hour ozone standard. Ohio EPA submitted a redesignation request and maintenance plan for this area on June 20, 2006. U.S. EPA approved this requests on May 16, 2007 (72 FR 27648).

Ohio EPA is now requesting a revision to the maintenance plan to update mobile emission projections and conformity budgets based on emission rates generated from U.S. EPA's latest mobile emissions model, the Motor Vehicle Emission Simulation (MOVES) 2010. In December 2009, MOVES replaced MOBILE6.2 as the U.S. EPA's official emission factor model. The area is still attaining and maintaining the 1997 8-hour ozone standard and the point, area and non-road emissions have not changed significantly and did not need to be updated for this submittal.

The enclosed information was compiled by Ohio EPA, Ohio Department of Transportation, and Lima-Allen County Regional Planning Commission (LACRPC). The public hearing for this package was held on January 3, 2013 in Lima, Ohio. No testimony was provided, nor were any comments received.

This submittal consists of one (1) hard copy of the required documentation. An exact duplicate electronic version of the submittal in PDF format is available at <http://epa.ohio.gov/dapc/SIP/1997.aspx> under the heading "Redesignations and Maintenance Plans".

If you have any questions, please contact Jennifer Dines in the Division of Air Pollution Control at (614) 644-3696.

Sincerely,

A handwritten signature in black ink, appearing to read "Scott J. Nally". The signature is stylized with a large initial "S" and a long horizontal stroke.

Scott J. Nally  
Director

enclosures

cc: Bob Hodanbosi, DAPC  
Jennifer Dines, DAPC