

CATEGORY	ORC	OAC	PARAGRAPH	CAPTION	TEXT	APPLICATION
ODNR	1517.16			CHANNEL MODIFICATIONS MUST BE APPROVED	NO GOVERNMENTAL BODY MAY MODIFY THE CHANNEL OF ANY WATERCOURSE WITHIN A WILD, SCENIC OR RECREATIONAL RIVER AREA OUTSIDE THE LIMITS OF A MUNICIPAL CORPORATION WITHOUT APPROVAL FROM THE DIRECTOR OF ODNR	CONSIDER FOR ANY ACTION THAT INCLUDES DREDGING OR ALTERING OF RIVERBANKS
ODNR	1518.02			ENDANGERED PLANT SPECIES	PROHIBITS REMOVAL OR DESTRUCTION OF ENDANGERED PLANT SPECIES (SOME PRIVATE PROPERTY EXCEPTIONS).	APPLIES TO REMEDIATION SITES WHERE CHEMICALS MAY HARM ENDANGERED SPECIES. CLEARLY ESTABLISHES THAT RECEPTOR PLANT SPECIES MUST BE CONSIDERED IN RISK ASSESSMENTS. THIS ACT MAY REQUIRE CONSIDERATION OF ENDANGERED SPECIES IN REMEDIATIONS THAT INVOLVE MOVEMENT OR DISPLACEMENT OF LARGE VOLUMES OF SURFACE SOIL.
ODNR	1521.06			CONSTRUCTION PERMITS FOR DAMS, DIKES AND LEVEES	NO DAM MAY BE CONSTRUCTED FOR THE PURPOSE OF STORING, CONSERVING OR RETARDING WATER, OR FOR ANY OTHER PURPOSE, NOR SHALL ANY DIKE OR LEVEE BE CONSTRUCTED FOR THE PURPOSE DIVERTING OR RETAINING FLOOD WATER WITHOUT A PERMIT.	THE SUBSTANTIVE REQUIREMENTS OF THIS SECTION PERTAIN TO REMEDIES THAT WILL CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.
ODNR	1521.062		A-G	MONITORING, MAINTENANCE & OPERATION (DAMS, DIKES, LEVEES)	DAMS, DIKES AND LEVEES (AND ALL APPURTENANCES) SHALL MONITORED, MAINTAINED AND OPERATED SAFELY IN ACCORDANCE WITH STATE RULES, TERMS AND CONDITIONS OF THE PERMIT AND OTHER REQUIREMENTS ISSUED PURSUANT TO THIS SECTION OR SECTION 1521.06 OF THE ORC.	THE SUBSTANTIVE REQUIREMENTS OF THIS SECTION PERTAIN TO REMEDIES THAT WILL CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.
ODNR	1531.25			ENDANGERED ANIMAL SPECIES	PROHIBITS REMOVAL OR DESTRUCTION OF ENDANGERED ANIMAL SPECIES	APPLIES TO REMEDIATION SITES WHERE CHEMICALS MAY HARM ENDANGERED SPECIES. CLEARLY ESTABLISHES THAT RECEPTOR ANIMAL SPECIES MUST BE CONSIDERED IN RISK ASSESSMENTS. THIS ACT MAY REQUIRE CONSIDERATION OF ENDANGERED SPECIES IN REMEDIATIONS THAT INVOLVE MOVEMENT OR DISPLACEMENT OF LARGE VOLUMES OF SURFACE SOIL.
APC	3704.05		A-I	PROHIBITS VIOLATION OF AIR POLLUTION CONTROL RULES	PROHIBITS EMISSION OF AN AIR CONTAMINANT IN VIOLATION SEC. 3704 OR ANY RULES, PERMIT, ORDER OR VARIANCE ISSUED PURSUANT TO THAT SECTION OF THE ORC.	MAY PERTAIN TO ANY SITE WHERE EMISSIONS OF AN AIR CONTAMINANT OCCURS EITHER AS A PRE-EXISTING CONDITION OF THE SITE OR AS A RESULT OF REMEDIAL ACTIVITIES. SHOULD BE CONSIDERED FOR VIRTUALLY ALL SITES THAT REQUIRE THE MANAGEMENT OF SOLID/HAZARDOUS WASTES.
DSIWM	3714.13			DEMOLITION DEBRIS FACILITIES - VIOLATIONS PROHIBITED	PROHIBITS VIOLATIONS OF ANY SECTION OF CHAPTER 3714 CONCERNING CONSTRUCTION AND DEMOLITION DEBRIS DISPOSAL FACILITIES OR ANY RULE OR ORDER ISSUED PURSUANT TO IT. DISPOSAL OF ASBESTOS IS SPECIFICALLY PROHIBITED WITHOUT AUTHORIZATION.	PERTAINS TO CONSTRUCTION AND DEMOLITION DEBRIS FACILITIES WHERE HAZARDOUS WASTE OR HAZARDOUS CONSTITUENTS HAVE COME TO BE LOCATED. CONSIDER FOR SITES WHERE REMEDIAL ACTION WILL INCLUDE DEMOLITION OF STRUCTURES OR ASBESTOS HAS COME TO BE LOCATED.

HW	3734.02		(H)	"DIGGING" WHERE HAZ OR SOLID WASTE FACILITY WAS LOCATED	FILLING, GRADING, EXCAVATING, BUILDING, DRILLING OR MINING ON LAND WHERE HAZARDOUS WASTE OR SOLID WASTE FACILITY WAS OPERATED IS PROHIBITED WITHOUT PRIOR AUTHORIZATION FROM THE DIRECTOR OF THE OHIO EPA.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HAS COME TO BE LOCATED. CERTAIN ALTERNATIVES INCLUDE EXCAVATION ACTIVITIES WHICH MAY UNCOVER SOLID AND/OR HAZARDOUS WASTE. SHOULD THOSE ACTIVITIES REQUIRE THE MANAGEMENT OF SOLID/HAZARDOUS WASTES ON-SITE, AN EXEMPTION TO PERMITTING AND OTHER REQUIREMENTS MAY BE WARRANTED.
HW APC	3734.02		(I)	AIR EMISSIONS FROM HAZARDOUS WASTE FACILITIES	NO HAZARDOUS WASTE FACILITY SHALL EMIT ANY PARTICULATE MATTER, DUST, FUMES, GAS, MIST, SMOKE, VAPOR OR ODOROUS SUBSTANCE THAT INTERFERES WITH THE COMFORTABLE ENJOYMENT OF LIFE OR PROPERTY OR IS INJURIOUS TO PUBLIC HEALTH.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE MANAGED SUCH THAT AIR EMISSIONS MAY OCCUR. CONSIDER FOR SITES THAT WILL UNDERGO MOVEMENT OF EARTH OR INCINERATION.
DSIWM	3734.03			PROHIBITS OPEN DUMPING OR BURNING	PROHIBITS OPEN BURNING OR OPEN DUMPING OF SOLID WASTE OR TREATED OR UNTREATED INFECTIOUS WASTE.	PERTAINS TO ANY SITE AT WHICH SOLID WASTE HAS COME TO BE LOCATED OR WILL BE GENERATED DURING A REMEDIAL ACTION.
HW	3734.05		(D)6,d,g,h	HAZARDOUS WASTE SITING CRITERIA	(D),6,d. A HAZARDOUS WASTE FACILITY INSTALLATION AND OPERATION PERMIT SHALL NOT BE APPROVED UNLESS IT PROVES THAT THE FACILITY REPRESENTS THE MINIMUM RISK OF ALL OF THE FOLLOWING (i)CONTAMINATION OF GROUND AND SURFACE WATERS (ii)FIRES OR EXPLOSIONS FROM TREATMENT, STORAGE OR DISPOSAL METHODS (iii)ACCIDENT DURING TRANSPORTATION (iv)IMPACT ON PUBLIC HEALTH AND SAFETY (v)AIR POLLUTION (vi)SOIL CONTAMINATION (D),6,g,h. PROHIBITS THE FOLLOWING LOCATIONS FOR TREATMENT, STORAGE AND DISPOSAL OF ACUTE HAZARDOUS WASTE: (i) WITHIN 2000 FEET OF ANY RESIDENCE, SCHOOL, HOSPITAL, JAIL OR PRISON; (ii) ANY NATURALLY OCCURRING WETLAND (iii) ANY FLOOD HAZARD AREA (iv) WITHIN ANY STATE PARK OR NATIONAL PARK OR RECREATION AREA	PERTAINS TO ALL SITES AT WHICH HAZARDOUS WASTE HAS COME TO BE LOCATED AND/OR AT WHICH HAZARDOUS WILL BE TREATED, STORED OR DISPOSED OF. MAY FUNCTION AS SITING CRITERIA.
HW	3734.05		(D)(6)©)	HAZARDOUS WASTE FACILITY ENVIRONMENTAL IMPACT	A HAZARDOUS WASTE FACILITY INSTALLATION AND OPERATION PERMIT SHALL NOT BE APPROVED UNLESS IT PROVES THAT THE FACILITY REPRESENTS THE MINIMUM ADVERSE ENVIRONMENTAL IMPACT, CONSIDERING THE STATE OF AVAILABLE TECHNOLOGY, THE NATURE AND ECONOMICS OF VARIOUS ALTERNATIVES AND OTHER PERTINENT CONSIDERATIONS	PERTAINS TO ALL SITES AT WHICH HAZARDOUS WASTE HAS COME TO BE LOCATED AND/OR AT WHICH HAZARDOUS WASTE WILL BE TREATED, STORED OR DISPOSED OF. MAY FUNCTION AS SITING CRITERIA.
DSIWM	3734.11		©)	SOLID WASTE FACILITY PROHIBITED IN PARKLANDS	PROHIBITS THE SITING OF ANY SOLID WASTE FACILITIES WITHIN STATE PARK, NATIONAL PARK OR NATIONAL RECREATION AREA.	PERTAINS TO SITES LOCATED WITHIN PARKLANDS. SITING CRITERIA.

APC DSW	3767.13			PROHIBITION OF NUISANCES	PROHIBITS NOXIOUS EXHALATIONS OR SMELLS AND THE OBSTRUCTION OF WATERWAYS.	PERTAINS TO ANY SITE THAT MAY HAVE NOXIOUS SMELLS OR MAY OBSTRUCT WATERWAYS.
DSW	3767.14			PROHIBITION OF NUISANCES	PROHIBITION AGAINST THROWING REFUSE, OIL, OR FILTH INTO LAKES, STREAMS, OR DRAINS.	PERTAINS TO ALL SITES LOCATED ADJACENT TO LAKES, STREAMS, OR DRAINS.
DERR	5301.00		.80 to .92	UNIFORM ENVIRONMENTAL COVENANTS ACT	STANDARDS FOR ENVIRONMENTAL COVENANTS	CONSIDER FOR SITES WITH INSTITUTIONAL CONTROLS OR USE RESTRICTIONS
DSW	6101.19			CONSERVANCY DISTRICTS	BOARD OF DIRECTORS OF A CONSERVANCY DISTRICT MAY MAKE AND ENFORCE RULES AND REGULATIONS PERTAINING TO CHANNELS, DITCHES, PIPES, SEWERS, ETC.	THIS STATUTE PERTAINS TO ANY SITE THAT MAY AFFECT A CONSTRUCTION WITHIN A CONSERVANCY DISTRICT.
DSW	6111.04			ACTS OF POLLUTION PROHIBITED	POLLUTION OF WATERS OF THE STATE IS PROHIBITED.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED ON-SITE GROUND OR SURFACE WATER OR WILL HAVE A DISCHARGE TO ON-SITE SURFACE OR GROUND WATER.
DSW	6111.07		A,C	WATER POLLUTION CONTROL REQUIREMENTS - DUTY TO COMPLY	PROHIBITS FAILURE TO COMPLY WITH REQUIREMENTS OF SECTIONS 6111.01 TO 6111.08 OR ANY RULES, PERMIT OR ORDER ISSUED UNDER THOSE SECTIONS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND WATER OR SURFACE WATER OR WILL HAVE A DISCHARGE TO ON-SITE SURFACE OR GROUND WATER.
DSIWM	3734.02.1			STANDARDS FOR INFECTIOUS WASTE HANDLING AND TREATMENT	ESTABLISHES STANDARDS FOR GENERATORS, TRANSPORTERS, AND OWNER OPERATORS OF TREATMENT FACILITIES FOR INFECTIOUS WASTE.	PERTAINS TO ALL SITE AT WHICH INFECTIOUS WASTE HAS COME TO BE LOCATED AND/OR INFECTIOUS WASTE MIGHT BE COMMINGLED WITH ANY OTHER TYPE OF WASTE.
HW	3734.02.7		A,B	HANDLING LOW-LEVEL RADIOACTIVE WASTE PROHIBITED	A) PROHIBITS COMMINGLING LOW LEVEL RADIOACTIVE WASTE WITH ANY TYPE OF SOLID WASTE, HAZARDOUS WASTE, OR INFECTIOUS WASTE. B) NO OWNER OR OPERATOR OF A SOLID, INFECTIOUS OR HAZARDOUS WASTE FACILITY SHALL ACCEPT FOR TRANSFER, STORAGE, TREATMENT OR DISPOSAL OF ANY RADIOACTIVE WASTE.	PERTAINS TO ALL SITES AT WHICH LOW LEVEL RADIOACTIVE WASTE HAS COME TO BE LOCATED.
DSIWM	3734.04.1		A,C,D,G	EXPLOSIVE GAS MONITORING	REQUIRES EXPLOSIVE GAS MONITORING PLANS FOR SANITARY LANDFILLS AND PROVIDES AUTHORITY TO THE DIRECTOR OF OHIO EPA TO ORDER AN OWNER OR OPERATOR OF A FACILITY TO IMPLEMENT AN EXPLOSIVE GAS MONITORING AND REPORTING PLAN	PERTAINS TO ALL SANITARY LANDFILLS EXCEPT FOR THOSE THAT DISPOSED OF NONPUTRESCIBLE WASTES.
HW	3734.14.1			CONDITIONS FOR DISPOSAL OF ACUTE HAZARDOUS WASTE	PROHIBITS DISPOSAL OF ACUTE HAZARDOUS WASTE UNLESS IT: (1) CANNOT BE TREATED, RECYCLED OR DESTROYED; (2) HAS BEEN REDUCED TO ITS LOWEST LEVEL OF TOXICITY; AND (3) HAS BEEN COMPLETELY ENCAPSULATED OR PROTECTED TO PREVENT LEACHING.	PERTAINS TO ANY SITE WHERE ACUTE HAZARDOUS WASTE HAS COME TO BE LOCATED.

DSW	6111.04.2			RULES REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STDS	ESTABLISHES REGULATIONS REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STANDARDS.	PERTAINS TO ANY SITE WHICH WILL HAVE A POINT SOURCE DISCHARGE.
UIC	6111.04.3			INJECTION OF SEWAGE OR WASTES INTO WELLS	ESTABLISHES A REGULATORY PROGRAM FOR THE INJECTION OF WASTES INTO WELLS THAT PREVENTS THE CONTAMINATION OF UNDERGROUND SOURCES OF DRINKING WATER.	PERTAINS TO ANY SITE THAT EITHER HAS OR INTENDS TO INJECT WASTES OF ANY TYPE INTO WELLS.
DSW		3745-1-03		ANALYTICAL AND COLLECTION PROCEDURES	SPECIFIES ANALYTICAL METHODS AND COLLECTION PROCEDURES FOR SURFACE WATER DISCHARGES.	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.
DSW		3745-1-04	A,,B,C,D,E	THE "FIVE FREEDOMS" FOR SURFACE WATER	ALL SURFACE WATERS OF THE STATE SHALL BE FREE FROM: A) OBJECTIONABLE SUSPENDED SOLIDS. B)FLOATING DEBRIS, OIL AND SCUM. C) MATERIALS THAT CREATE A NUISANCE. D) TOXIC, HARMFUL OR LETHAL SUBSTANCES. E) NUTRIENTS THAT CREATE NUISANCE GROWTH	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.
DSW		3745-1-05	A-C	ANTIDEGRADATION POLICY FOR SURFACE WATER	PREVENTS DEGRADATION OF SURFACE WATER QUALITY BELOW DESIGNATED USE OR EXISTING WATER QUALITY. EXISTING IN STREAM USES SHALL BE MAINTAINED AND PROTECTED. THE MOST STRINGENT CONTROLS FOR TREATMENT SHALL BE REQUIRED BY THE DIRECTOR TO BE EMPLOYED FOR ALL NEW AND EXISTING POINT SOURCE DISCHARGES. PREVENTS ANY DEGRADATION OF STATE RESOURCE WATERS	REQUIRES THAT BEST AVAILABLE TECHNOLOGY (BAT) BE USED TO TREAT SURFACE WATER DISCHARGES. DWQPA USES THIS RULE TO SET STANDARDS WHEN EXISTING WATER QUALITY IS BETTER THAN THE DESIGNATED USE.
DSW		3745-1-06	A,B	MIXING ZONES FOR SURFACE WATER	(A) PRESENTS THE CRITERIA FOR ESTABLISHING NON-THERMAL MIXING ZONES FOR POINT SOURCE DISCHARGES (B) PRESENTS THE CRITERIA FOR ESTABLISHING THERMAL MIXING ZONES FOR POINT SOURCE DISCHARGES	APPLIED AS A TERM OF DISCHARGE PERMIT TO INSTALL (PTI). WOULD PERTAIN TO AN ALTERNATIVE WHICH RESULTED IN A POINT SOURCE DISCHARGE.
DSW		3745-1-07	C	WATER QUALITY CRITERIA	ESTABLISHES WATER QUALITY CRITERIA FOR POLLUTANTS WHICH DO NOT HAVE SPECIFIC NUMERICAL OR NARRATIVE CRITERIA IDENTIFIED IN TABLES 7-1 THROUGH 7-15 OF THIS RULE.	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIAL ACTION AND ANY SURFACE WATERS AFFECTED BY SITE CONDITIONS.
DSW		3745-1-08		WATER USE DES FOR HOCKING RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE HOCKING RIVER BASIN	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-09		WATER USE DES FOR SCIOTO RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE SCIOTO RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS

DSW		3745-1-10		WATER USE DES FOR GRAND RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE GRAND RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-11		WATER USE DES FOR MAUMEE RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE MAUMEE RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-12		WATER USE DES FOR SANDUSKY RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE SANDUSKY RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-13		WATER USE DES FOR CENTRAL OHIO TRIB	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE CENTRAL OHIO TRIBUTARIES BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-14		WATER USE DES FOR ASHTABULA RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE ASHTABULA RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-15		WATER USE DES FOR L. BEAVER CREEK	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE LITTLE BEAVER CREEK BASIN	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-16		WATER USE DES FOR SE OHIO TRIB	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE SOUTHEAST OHIO TRIBUTARIES BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-17		WATER USE DES FOR SW OHIO TRIB	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE SOUTHWEST OHIO TRIBUTARIES BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-18		WATER USE DES FOR L. MIAMI RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE LITTLE MAUMEE RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-19		WATER USE DES FOR HURON RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE HURON RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS

DSW		3745-1-20		WATER USE DES FOR ROCKY RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE ROCKY RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-21		WATER USE DES FOR GREAT MIAMI RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE GREAT MIAMI RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-22		WATER USE DES FOR CHAGRIN RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE CHAGRIN RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-23		WATER USE DES FOR PORTAGE RIVER	ESTABLISHED WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE PORTAGE RIVER BASIN	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-24		WATER USE DES FOR MUSKINGUM RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE MUSKINGUM RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-25		WATER USE DES FOR MAHONING RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE MAHONING RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-26		WATER USE DES FOR CUYAHOGA RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE CUYAHOGA RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-27		WATER USE DES FOR BLACK RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE BLACK RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-28		WATER USE DES FOR VERMILION RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE VERMILION RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-29		WATER USE DES FOR WABASH RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE WABASH RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS

DSW		3745-1-30		WATER USE DES FOR MILL CREEK	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE MILL CREEK BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-31		LAKE ERIE STANDARDS	ESTABLISHES WATER USE DESIGNATIONS FOR LAKE ERIE	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-3-04	A-D	PROHIBITED DISCHARGES	PLACES RESTRICTIONS ON DISCHARGES TO POTW'S THAT MAY HARM TREATMENT FUNCTIONS OR PASS THROUGH TO RECEIVING STREAM.	CONSIDER FOR SITES WITH DISCHARGES TO POTW.
DSW		3745-3-05	A-C	NOTIFICATION OF POTENTIAL PROBLEMS INCLUDING SLUG LOAD	REQUIRES INDUSTRIAL USERS TO NOTIFY POTW OF DISCHARGES THAT MAY ADVERSELY AFFECT TREATMENT OPERATIONS, INCLUDING SLUG LOADS	CONSIDER FOR SITES WITH DISCHARGES TO POTW.
GW		3745-9-03	A-C	MONITORING WELL	STANDARDS FOR DESIGN AND CLOSURE OF WELLS, COMPLIANCE WITH DDAGW GUIDANCE	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.
GW		3745-9-04	A,B	WELL SITING	MANDATES THAT GROUND WATER WELLS BE:A) LOCATED AND MAINTAINED SO AS TO PREVENT CONTAMINANTS FROM ENTERING WELL.B) LOCATED SO AS TO BE ACCESSIBLE FOR CLEANING AND MAINTENANCE.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.
GW		3745-9-05	A1,B-H	WELL CONSTRUCTION	SPECIFIES MINIMUM CONSTRUCTION REQUIREMENTS FOR NEW GROUND WATER WELLS IN REGARDS TO CASING MATERIAL, CASING DEPTH, POTABLE WATER, ANNULAR SPACES, USE OF DRIVE SHOE, OPENINGS TO ALLOW WATER ENTRY, CONTAMINANT ENTRY.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.
GW		3745-9-06	A	WELL CONSTRUCTION, SPECIFIC GEOLOGIC CONDITIONS	ESTABLISHES SPECIFIC REQUIREMENTS FOR WELLS IN DIFFERENT TYPES OF AQUIFERS	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.
GW		3745-9-07	A-C	WELL GROUTING FOR CONSTRUCTION OF CLOSURE	ESTABLISHES SPECIFIC GROUTING PROCEDURES	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.

GW		3745-9-10	A,B,C	ABANDONED WELL SEALING	PROCEDURES FOR CLOSING AND SEALING WELLS.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975.
BUSTR		1301-7-9-13		PETROLEUM UST CORRECTIVE ACTION	STANDARDS FOR REMEDIATION OF UST FACILITIES	CONSIDER FOR SITES SUBJECT TO BUSTR REGULATION
ODNR		1501:14-3	2-11	SOIL AND DRAINAGE	REQUIREMENTS FOR RECLAMATION OF SURFACE MINED AREAS. ISOLATION OF ACID DRAINAGE, RESTRICTION ON SURFACE WATER IMPOUNDMENTS, RULES FOR USE OF EXPLOSIVES, PROTECTION OF UNDERGROUND WATER SUPPLIES, SAFETY OF HIGHWALLS, RESOILING, REVEGETATION, DAMS AND DIVERSIONS.	CONSIDER FOR SITES WITH SOIL BORROW AREAS OR EXTENSIVE EXCAVATION.
ODNR		1501:14-4	1-3	GEOLOGICAL SURVEYS	REQUIRES SURVEY AND OTHER INFORMATION FOR SURFACE MINING.	CONSIDER FOR SITE WITH BORROW SOURCE AREA OR EXTENSIVE EXCAVATION.
ODNR		1501:21-11	03-05	PREDESIGN INVESTIGATIONS (DAMS, DIKES, LEVEES)	PRESENTS PREDESIGN REQUIREMENTS FOR DAMS, DIKES AND LEVEES. INCLUDES ON-SITE CONSTRUCTION MATERIAL DATA, SURVEYS AND HYDROLOGIC AND HYDRAULIC INVESTIGATIONS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.
ODNR		1501:21-13	02-08	ADDITIONAL DESIGN REQUIREMENTS FOR DAMS	PRESENTS DESIGN REQUIREMENTS SPECIFIC TO DAMS. INCLUDES SUCH CRITERIA AS DESIGN STORM AND FLOOD, SPILLWAY DESIGN, FREEBOARD REQUIREMENTS, ETC.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER.
ODNR		1501:21-13	10-14	ADDITIONAL DESIGN REQUIREMENTS FOR DIKES AND LEVEES	PRESENTS DESIGN REQUIREMENTS SPECIFIC TO DIKES AND LEVEES. INCLUDES CRITERIA SUCH AS DESIGN STORM AND FLOOD AND FREEBOARD REQUIREMENTS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DIKE OR LEVEE. CONSIDER FOR SITES WITHIN A FLOODPLAIN.
ODNR		1501:21-15	06	OPERATION, MAINTENANCE AND INSPECTIONS	PRESENTS THE MINIMUM INFORMATION REQUIRED IN A PLAN ADDRESSING THE OPERATION, MAINTENANCE AND INSPECTION OF DAMS, DIKES AND LEVEES.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.
ODNR		1501:21-21	03-04	DEFICIENCY AND O&M OF DAMS, DIKES AND LEVEES	DAMS, DIKES AND LEVEES MUST BE OPERATED SAFELY. REPAIRS OR OTHER REMEDIAL MEASURES SHALL BE PERFORMED ON DAMS, DIKES AND LEVEES AS NECESSARY TO SAFEGUARD LIFE, HEALTH OR PROPERTY.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.
ODNR		1501:21-5	02-06	DESIGN REQUIREMENTS FOR DAMS, DIKES AND LEVEES	SPECIFIES MINIMUM INFORMATION REQUIRED DURING DESIGN FOR OHIO DNR TO DETERMINE ADEQUACY OF PROPOSED DAM, DIKE OR LEVEE. INCLUDES DESIGN REPORTS, PLANS AND SPECIFICATIONS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.

ODNR		1501:31-23	01, A-B	LIST OF ENDANGERED ANIMAL SPECIES	LIST OF OHIO ANIMAL SPECIES CONSIDERED ENDANGERED.	MAY APPLY TO REMEDIATION SITES WHERE LISTED SPECIES ARE THREATENED BY CHEMICAL RELEASES. MAY ALSO APPLY AT SITES WHERE REMEDIAL ACTIVITIES COULD DISTURB EXISTING HABITATS.
ODNR		1501-18-1	03, A	LIST OF ENDANGERED PLANT SPECIES	PLANT SPECIES CONSIDERED ENDANGERED IN OHIO	MAY APPLY AT REMEDIATION SITES WHERE CHEMICAL RELEASE THREATENS LISTED SPECIES. SHOULD ALSO BE CONSIDERED WHERE REMEDIAL ACTIVITIES MAY DISRUPT HABITATS.
DSW		3745-1-32		OHIO RIVER STANDARDS	ESTABLISHES WATER USE DESIGNATIONS FOR THE OHIO RIVER	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS
DSW		3745-1-32		WATER USE DES FOR OHIO RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE OHIO RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DWQPA TO ESTABLISH WASTE LOAD ALLOCATIONS.
DSW		3745-1-33	A-E	WATER QUALITY CRITERIA FOR LAKE ERIE DRAINAGE BASIN	ESTABLISHES WATER QUALITY STANDARDS FOR BODIES OF WATER DRAINING INTO LAKE ERIE BASIN. USED BY DSW TO ESTABLISH DISCHARGE LIMITS	CONSIDER FOR SITES WITH DISCHARGES INTO RIVERS IN THE LAKE ERIE BASIN
DSW		3745-1-34	A-D	WATER QUALITY CRITERIA FOR THE OHIO RIVER DRAINAGE BASIN	APPLIES TO DISCHARGES TO STREAMS WITHIN THE OHIO RIVER BASIN, USED BY DSW TO DETERMINE DISCHARGE LIMITS	CONSIDER FOR SITES WITH DISCHARGES TO OHIO RIVER BASIN
DSW		3745-1-34		WATER QUALITY FOR OHIO RIVER DRAINAGE BASIN	ESTABLISHES CHEMICAL CRITERIA FOR STREAMS IN OHIO RIVER DRAINAGE BASIN	CONSIDER FOR SITES WITH DISCHARGES TO OHIO RIVER BASIN
APC		3745-15-05	A-D	DE MINIMIS AIR CONTAMINANT SOURCE EXEMPTION	ESTABLISHES LIMITS BELOW WHICH AIR DISCHARGE PERMITS ARE NOT NEEDED	PERTAINS TO ANY SITE WHICH UTILIZES OR WILL UTILIZE AIR POLLUTION CONTROL EQUIPMENT ON-SITE.
APC		3745-15-06	A1,A2	MALFUNCTION & MAINTENANCE OF AIR POLL CONTROL EQUIPMENT	ESTABLISHES SCHEDULED MAINTENANCE AND SPECIFIES WHEN POLLUTION SOURCE MUST BE SHUT DOWN DURING MAINTENANCE	PERTAINS TO ANY SITE WHICH UTILIZES OR WILL UTILIZE AIR POLLUTION CONTROL EQUIPMENT ON-SITE.
APC		3745-15-07	A	AIR POLLUTION NUISANCES PROHIBITED	DEFINES AIR POLLUTION NUISANCE AS THE EMISSION OR ESCAPE INTO THE AIR FROM ANY SOURCES(S) OF SMOKE, ASHES, DUST, DIRT, GRIME, ACIDS, FUMES, GASES, VAPORS, ODORS AND COMBINATIONS OF THE ABOVE THAT ENDANGER HEALTH, SAFETY OR WELFARE OF THE PUBLIC OR CAUSE PERSONAL INJURY OR PROPERTY DAMAGE. SUCH NUISANCES ARE PROHIBITED.	PERTAINS TO ANY SITE WHICH CAUSES, OR MAY REASONABLY CAUSE, AIR POLLUTION NUISANCES. CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, METHANE PRODUCTION, CLEARING AND GRUBBING, WATER TREATMENT, INCINERATION AND WASTE FUEL RECOVERY.
APC		3745-15-08	A	CIRCUMVENTION	FORBIDS DILUTION OR OTHER MEANS TO CONCEAL EMISSIONS WITHOUT ACTUAL REDUCTIONS	CONSIDER FOR SITES WITH EMISSIONS TO AIR, AIR STRIPPING, INCINERATION, SOIL VAPOR EXTRACTION ETC.

DSW		3745-1-51	A-C	WETLAND NARRATIVE CRITERIA	LISTS CRITERIA TO BE PROTECTED IN WETLAND ENVIRONMENTS	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.
DSW		3745-1-52		NUMERIC CHEMICAL CRITERIA FOR WASTE WATER DISCHARGE	REQUIRES THAT DISCHARGE CRITERIA APPLY AT END OF PIPE	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.
DSW		3745-1-54	A-D	WETLAND ANTIDegradation	REQUIRES THAT ALL WETLANDS BE ASSIGNED A CATEGORY CLASSIFICATION AND GIVES CRITERIA FOR CLASSIFICATION. DISCUSSES REQUIREMENTS FOR AVOIDANCE AND MINIMIZATION OF WETLANDS DAMAGE AS WELL AS COMPENSATORY MITIGATION.	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.
APC		3745-16-02	B,C	STACK HEIGHT REQUIREMENTS	ESTABLISHES ALLOWABLE STACK HEIGHT FOR AIR CONTAMINANT SOURCES BASED ON GOOD ENGINEERING PRACTICE.	PERTAINS TO ANY SITE THAT HAS OR WILL HAVE AN AIR CONTAMINANT SOURCE ON-SITE (PARTICULATE, DUST, FUMES, GAS, MIST, SMOKE, VAPOR, ODORS) EMITTED FROM A STACK. CONSIDER FOR REMEDIES INCORPORATING INCINERATION, WASTE FUEL RECOVERY AND WASTEWATER TREATMENT.
APC		3745-17-07	A-D	VISIBLE PARTICULATE EMISSION CONTROL	SPECIFIES THE ALLOWABLE OPACITY FOR PARTICULATE EMISSIONS; PROVIDES EXCEPTIONS FOR UNCOMBINED WATER, START-UP/SHUTDOWN OF FUEL BURNING EQUIPMENT, MALFUNCTIONS.	PERTAINS TO ANY EMISSION OF PARTICULATE FROM A STACK. CONSIDER FOR INCINERATION AND FUEL BURNING.
APC		3745-17-08	A1,A2,B,D	EMISSION RESTRICTIONS FOR FUGITIVE DUST	ALL EMISSIONS OF FUGITIVE DUST SHALL BE CONTROLLED.	PERTAINS TO SITES WHICH MAY HAVE FUGITIVE EMISSIONS (NON-STACK) OF DUST. CONSIDER FOR SITES THAT WILL UNDERGO GRADING, LOADING OPERATIONS, DEMOLITION, CLEARING AND GRUBBING AND CONSTRUCTION UTILIZE INCINERATION OR FUEL RECOVERY (WASTE FUEL RECOVERY)
APC		3745-17-09	A,B,C	INCINERATOR PARTICLE EMISSION & ODOR RESTRICTIONS	ESTABLISHES PARTICULATE EMISSION LIMITATIONS AND DESIGN-OPERATION REQUIREMENTS TO PREVENT THE EMISSION OF OBJECTIONABLE ODORS.	PERTAINS TO ANY REMEDY INCORPORATING INCINERATION
APC		3745-17-10	A,B,C	FUEL BURNING PARTICLE EMISSION RESTRICTIONS	ESTABLISHES PARTICULATE EMISSION LIMITATIONS FOR FUEL BURNING EQUIPMENT.	PERTAINS TO ANY REMEDY INCORPORATING FUEL BURNING (WASTE FUEL RECOVERY).
APC		3745-18-04	A,B,C,E,F	SULFUR DIOXIDE MEASUREMENT METHODS AND PROCEDURES	SPECIFIES TESTING METHODS AND PROCEDURES FOR SULFUR DIOXIDE EMISSIONS COMPLIANCE TESTING	PERTAINS TO ANY SITE THAT WILL EMIT SULFUR DIOXIDE. CONSIDER FOR SITES THAT WILL UTILIZE INCINERATION OR FUEL RECOVERY (WASTE FUEL RECOVERY).
APC		3745-18-06	A-G	SULFUR DIOXIDE EMISSION LIMIT PROVISIONS	ESTABLISHES GENERAL LIMIT PROVISIONS FOR SULFUR DIOXIDE.	PERTAINS TO ANY SITE THAT WILL EMIT SULFUR DIOXIDE. CONSIDER FOR SITES THAT WILL UNDERGO INCINERATION OR FUEL BURNING (WASTE FUEL RECOVERY).
APC		3745-19-03	A,B,C,D	OPEN BURNING STANDARDS IN RESTRICTED AREAS	OPEN BURNING WITHOUT PRIOR AUTHORIZATION FROM OHIO EPA IS PROHIBITED.	PERTAINS TO SITES WITHIN A RESTRICTED AREA (WITHIN THE BOUNDARY OF A MUNICIPALITY AND A ZONE EXTENDING BEYOND SUCH MUNICIPALITY).

APC		3745-19-04	A,B,C,D	OPEN BURNING STANDARDS IN UNRESTRICTED AREAS	OPEN BURNING WITHOUT PRIOR AUTHORIZATION FROM OHIO EPA IS PROHIBITED	PERTAINS TO SITES WITHIN AN UNRESTRICTED AREA (OUTSIDE THE BOUNDARY OF A MUNICIPALITY AND A ZONE EXTENDING BEYOND SUCH MUNICIPALITY).
APC		3745-20-04	A-C	DEMOLITION PROCEDURES AND ASBESTOS EMISSION CONTROL	SPECIFIES PROCEDURES TO REDUCE EMISSIONS FROM DEMOLITION OF STRUCTURES CONTAINING ASBESTOS	CONSIDER AT SITES WHERE OLDER BUILDINGS MAY BE DEMOLISHED, OR RESIDUES FROM OLDER BUILDINGS REMAIN
APC		3745-20-05	A-D	STANDARDS FOR ASBESTOS WASTE HANDLING	SPECIFIES PROCEDURES FOR HANDLING ASBESTOS WASTE GENERATED AT A DEMOLITION SITE. SITES THAT WILL UNDERGO WATER TREATMENT	CONSIDER FOR SITES AT WHICH ASBESTOS CONTAINING WASTES ARE PRESENT OR MAY BE GENERATED.
APC		3745-20-06	A,B	STANDARD FOR ACTIVE ASBESTOS WASTE DISPOSAL SITES	ESTABLISHES OPERATING STANDARDS FOR AN ACTIVE ASBESTOS WASTE DISPOSAL SITES.	PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED AND MUST BE CONSOLIDATED ON-SITE. CONSIDER FOR LANDFILLS WHERE WASTES WILL BE EXCAVATED AND RE-DEPOSITED ON-SITE
APC		3745-20-07	A,B,C	STANDARD FOR INACTIVE ASBESTOS WASTE DISPOSAL SITES	ESTABLISHES EMISSIONS AND MAINTENANCE STANDARDS FOR INACTIVE ASBESTOS WASTE DISPOSAL SITES.	PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED. CONSIDER FOR LANDFILLS WITH INADEQUATE COVER OR WHERE WASTES WILL CONSOLIDATED.
APC		3745-21-03	B,C	METHODS OF AMBIENT AIR QUALITY MEASUREMENT	SPECIFIES MEASUREMENT METHODS TO DETERMINE AMBIENT AIR QUALITY FOR THE FOLLOWING CONSTITUENTS: CARBON MONOXIDE, OZONE AND NON-METHANE HYDROCARBONS.	PERTAINS TO ANY SITE WHICH WILL EMIT CARBON MONOXIDE, OZONE OR NON-METHANE HYDROCARBONS. CONSIDER FOR SITES WHERE TREATMENT SYSTEMS WILL RESULT IN AIR EMISSIONS.
APC		3745-21-08	A-E	CARBON MONOXIDE EMISSION CONTROL: STATIONARY SOURCES	REQUIRES ANY STATIONARY SOURCE OF CARBON MONOXIDE TO MINIMIZE EMISSIONS BY THE USE OF BEST AVAILABLE CONTROL TECHNOLOGIES AND OPERATING PRACTICES IN ACCORDANCE WITH BEST CURRENT TECHNOLOGY.	PERTAINS TO ANY SITE THAT IS EMITTING OR WILL EMIT CARBON MONOXIDE. CONSIDER FOR SITES WITH INCINERATION OR FUEL BURNING.
APC		3745-21-09		VOC EMISSIONS CONTROL: STATIONARY SOURCES	ESTABLISHES LIMITATIONS FOR EMISSIONS OF VOLATILE ORGANIC COMPOUNDS FROM STATIONARY SOURCES.	PERTAINS TO ANY SITE WITH TREATMENT SYSTEMS THAT EMIT VOLATILE ORGANIC COMPOUNDS, INCLUDING THOSE WITH THERMAL DESORPTION AND AIR STRIPPING.
APC		3745-25-02		AMBIENT AIR QUALITY STANDARDS	ESTABLISHES STANDARDS FOR PARTICULATES, SULFUR DIOXIDE, CARBON MONOXIDE, NITROGEN DIOXIDE, OZONE AND LEAD.	CONSIDER FOR SITES WITH SURFACE EXCAVATION, CLEARING OR GRUBBING AND FOR SITES WITH TREATMENT SYSTEMS THAT MAY EMIT ANY OF THESE CHEMICALS.
APC		3745-23-02	A,B	MEASUREMENT METHODS FOR NITROGEN DIOXIDE	SPECIFIES METHODS OF MEASUREMENT FOR NITROGEN DIOXIDE TO DETERMINE AMBIENT AIR QUALITY.	PERTAINS TO ANY SITE WHICH WILL EMIT NITROGEN OXIDES. CONSIDER FOR SITES WHERE TREATMENT SYSTEMS WILL RESULT IN NITROGEN OXIDE EMISSIONS, ESP. THERMAL TREATMENT.
HW		3745-248-011	A-E	DESIGN AND OPERATING STANDARDS FOR CONTAINMENT BUILDING	STANDARDS FOR DESIGN AND OPERATION OF CONTAINMENT BUILDINGS	CONSIDER FOR SITES WITH BUILDINGS FOR TREATMENT, STORAGE OR DISPOSAL
HW		3745-248-02	A,B	CLOSURE AND POST-CLOSURE CARE OF CONTAINMENT BUILDINGS.	STANDARDS FOR CONTAINMENT BUILDING CLOSURE.	CONSIDER FOR SITES WITH BUILDINGS FOR TREATMENT, STORAGE OR DISPOSAL

APC		3745-25-03		EMISSION CONTROL ACTION PROGRAMS	REQUIRES PREPARATION FOR AIR POLLUTION ALERTS, WARNINGS AND EMERGENCIES.	PERTAINS TO ANY SITE WHICH IS EMITTING OR MAY EMIT AIR CONTAMINANTS.
HW		3745-270-03	A-D	DILUTION PROHIBITED AS A SUBSTITUTE FOR TREATMENT.	FORBIDS DILUTION AS A MEANS OF ACHIEVING LAND DISPOSAL RESTRICTION LEVELS	CONSIDER FOR REMEDIAL OPTIONS INCLUDING LAND DISPOSAL OR LEAVING WASTES IN-PLACE
HW		3745-270-07	A-E	TESTING, TRACKING, AND RECORDKEEPING REQUIREMENTS	TESTING, TRACKING, AND RECORDKEEPING REQUIREMENTS FOR GENERATORS, TREATERS, AND DISPOSAL FACILITIES.	CONSIDER FOR SITES AT WHICH WASTES ARE GENERATED, STORED, DISPOSED, OR TREATED
HW		3745-270-09	A-D	SPECIAL RULES REGARDING CHARACTERISTIC WASTES	RULES APPLICABLE TO LAND DISPOSAL OF CHARACTERISTIC WASTES	CONSIDER FOR SITES THAT GENERATE CHARACTERISTIC WASTES
DSIWM		3745-27-03	B	EXEMPTIONS TO SOLID WASTE REGULATIONS	DEFINES EXEMPTIONS TO SOLID WASTE REGULATIONS AND ESTABLISHES LIMITATIONS ON TEMPORARY STORAGE OF PUTRESCIBLE WASTE OR ANY SOLID WASTE WHICH CAUSES A NUISANCE OR HEALTH HAZARD. STORAGE OF PUTRESCIBLE WASTE BEYOND SEVEN DAYS IS CONSIDERED OPEN DUMPING.	PERTAINS TO ANY SITE AT WHICH SOLID WASTE WILL BE MANAGED. CONSIDER ESPECIALLY FOR OLD LANDFILLS WHERE SOLID WASTE MAY BE EXCAVATED AND/OR CONSOLIDATED.
HW		3745-270-30	A-E	WASTE SPECIFIC PROHIBITIONS-WOOD TREATMENT	RESTRICTIONS ON DISPOSAL OF WOOD TREATMENT WASTES, REQUIREMENTS FOR TREATMENT PRIOR TO DISPOSAL	CONSIDER FOR SITES OF FORMER WOOD TREATMENT OPERATIONS
HW		3745-270-31	A-D	WASTE SPECIFIC PROHIBITIONS: DIOXIN WASTES	RULES AND RESTRICTIONS WITH RESPECT TO LAND DISPOSAL OF DIOXIN WASTES, ALSO CERCLA EXEMPTION	CONSIDER FOR SITES WITH DIOXIN CONTAMINATION
HW		3745-270-34	A-F	WASTE SPECIFIC PROHIBITIONS-TOXIC METALS	RESTRICTIONS ON LAND DISPOSAL OF WASTE THAT ARE TOXIC CHARACTERISTIC FOR SPECIFIED METALS	CONSIDER FOR SITES WITH METALLIC CONTAMINATION IN WASTES
HW		3745-270-35	A-C	PROHIBITIONS, PETROLEUM REFINING WASTES	RESTRICTIONS ON LAND DISPOSAL OF WASTES FROM PETROLEUM REFINING	CONSIDER FOR SITES OF PETROLEUM REFINING OPERATIONS
HW		3745-270-37	A,B	PROHIBITIONS, IGNITABLE AND CORROSIVE WASTES	REQUIRES PRETREATMENT OF WASTES CHARACTERISTIC FOR CORROSIVITY OR IGNITABILITY PRIOR TO LAND DISPOSAL	CONSIDER AS SITES WITH WASTES CHARACTERISTIC FOR IGNITABILITY OR CORROSIVITY
HW		3745-270-38	A-E	PROHIBITIONS, ORGANIC TOXICITY, COKE OVEN WASTES, ETC	RESTRICTIONS ON LAND DISPOSAL OF ORGANIC TOXIC WASTE, COKE OVEN WASTES AND CHLOROTOLUENE WITHOUT PROPER TREATMENT	CONSIDER FOR SITES WITH ORGANIC TOXIC WASTE, COKE OVEN WASTES AND CHLOROTOLUENE .
HW		3745-270-39	A-G	ALUMINUM POT LINERS, REACTIVE WASTES , CARBAMATES	RESTRICTIONS ON LAND DISPOSAL OF SPENT ALUMINUM POT LINERS, REACTIVE WASTES AND CARBAMATE WASTES. REQUIRES PRETREATMENT.	CONSIDER FOR SITES WITH SPENT ALUMINUM POT LINERS, REACTIVE WASTES AND CARBAMATE WASTES
HW		3745-270-40	A-J	APPLICABILITY OF TREATMENT STANDARDS	DETAILED LISTING OF CHEMICAL SPECIFIC LAND TREATMENT STANDARDS OR REQUIRED TREATMENT TECHNOLOGIES.	CONSIDER FOR SITES THAT GENERATE WASTES OR WITH WASTES DISPOSED ON-SITE

HW		3745-270-42	A-D	TREATMENT STANDARDS EXPRESSED AS SPECIFIED TECHNOLOGIES	LISTS SPECIFIC TREATMENT TECHNOLOGIES REQUIRED FOR SPECIFIC WASTES	CONSIDER AT ALL SITES GENERATING WASTES OR WITH ON-SITE DISPOSAL
HW		3745-270-45	A-D	TREATMENT STANDARDS FOR HAZARDOUS DEBRIS	SPECIFIES TREATMENT TECHNOLOGIES AND PERFORMANCE STANDARDS FOR VARIOUS DEBRIS.	CONSIDER FOR SITES WITH CONTAMINATION BY DEBRIS.
HW		3745-270-48	A	UNIVERSAL TREATMENT STANDARDS	GIVES CONTAMINANT CHEMICAL SPECIFIC STANDARDS FOR LAND DISPOSAL	CONSIDER FOR SITES WITH WASTE GENERATION OR ON-SITE DISPOSAL
HW		3745-270-49	A-E	LAND DISPOSAL RESTRICTION FOR CONTAMINATED SOILS	SPECIFIES STANDARDS FOR SOIL TREATMENT	CONSIDER AT SITES WHERE CONTAMINATED SOILS ARE GENERATED
DSIWM		3745-27-05	A,B,C	AUTHORIZED, LIMITED & PROHIBITED SOLID WASTE DISPOSAL	ESTABLISHES ALLOWABLE METHODS OF SOLID WASTE DISPOSAL; SANITARY LANDFILL, INCINERATION, COMPOSTING. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.	PERTAINS TO ANY SITE AT WHICH SOLID WASTES WILL BE MANAGED. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.
HW		3745-270-50	A-F	PROHIBITIONS ON STORAGE OF RESTRICTED WASTES	RULES FOR STORAGE OF WASTES THAT VIOLATE LDR'S	CONSIDER AT SITES WHERE REMEDIATION INCLUDES STORAGE OF WASTES.
DSIWM		3745-27-06	B,C	REQUIRED TECHNICAL INFORMATION FOR SANITARY LANDFILLS	SPECIFIES THE MINIMUM TECHNICAL INFORMATION REQUIRED OF A SOLID WASTE PERMIT TO INSTALL. INCLUDED ARE A HYDROGEOLOGIC INVESTIGATION REPORT, LEACHATE PRODUCTION AND MIGRATION INFORMATION, SURFACE WATER DISCHARGE INFORMATION, DESIGN CALCULATIONS, PLAN DRAWINGS.	THIS PARAGRAPH PRESENTS SUBSTANTIVE REQUIREMENTS OF A SOLID WASTE PERMIT TO INSTALL. PERTAINS TO ANY NEW SOLID WASTE DISPOSAL FACILITY CREATED ON-SITE AND EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS . ALSO PERTAINS TO EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED PER SOLID WASTE RULES . THIS RULE ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
DSIWM		3745-27-07	H	ADDITIONAL CRITERIA FOR SANITARY LANDFILL APPROVAL	ADDITIONAL SITING REQUIREMENTS WITH RESPECT TO GEOLOGY, WATER SUPPLIES, OCCUPIED PROPERTIES, PARKLANDS AND MINE SUBSIDENCE AREAS. GOVERNS EXPANSION OF EXISTING SITES	PERTAINS TO NEW SANITARY LANDFILLS FOR SOLID WASTE DISPOSAL AND EXPANSIONS OF EXISTING FACILITIES
DSIWM		3745-27-08	C,D-H	CONSTRUCTION SPECIFICATIONS FOR SANITARY LANDFILLS	SPECIFIES THE MINIMUM REQUIREMENTS FOR THE SOIL/CLAY LAYERS, GRANULAR DRAINAGE LAYER, GEOSYNTHETICS, LEACHATE MANAGEMENT SYSTEM, GAS MONITORING SYSTEM, ETC. ALSO ESTABLISHES CONSTRUCTION REQUIREMENTS FOR FACILITIES TO BE LOCATED IN GEOLOGICALLY UNFAVORABLE AREAS.	PERTAINS TO ANY NEW SOLID WASTE DISPOSAL FACILITY CREATED ON-SITE AND ANY EXPANSIONS TO EXISTING SOLID WASTE LANDFILLS. PORTIONS ALSO PERTAIN TO AREAS OF CONTAMINATION THAT ARE CAPPED PER SOLID WASTE RULES. MAY SERVE AS SITING CRITERIA.

DSIWM		3745-27-10	B,C,D,E,F	SANITARY LANDFILL - GW MONITORING AND CORRECTION	GROUND WATER MONITORING PROGRAM MUST BE ESTABLISHED FOR ALL SANITARY LANDFILL FACILITIES. THE SYSTEM MUST CONSIST OF A SUFFICIENT NUMBER OF WELLS THAT ARE LOCATED SO THAT SAMPLES INDICATE BOTH UPGRADIENT (BACKGROUND) AND DOWNGRAIDENT WATER SAMPLES. THE SYSTEM MUST BE DESIGNED PER THE MINIMUM REQUIREMENTS SPECIFIED IN THIS RULE. THE SAMPLING AND ANALYSIS PROCEDURES USED MUST COMPLY WITH THIS RULE. SPECIFIES PROCEDURES FOR ASSESSMENT AND CORRECTION OF CONTAMINATION.	PERTAINS TO ANY NEW SOLID WASTE FACILITY AND ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE. ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED IN-PLACE PER THE SOLID WASTE RULES.
DSIWM		3745-27-11	B,G	FINAL CLOSURE OF SANITARY LANDFILL FACILITIES	REQUIRES CLOSURE OF A LANDFILL IN A MANNER WHICH MINIMIZES THE NEED FOR POST-CLOSURE MAINTENANCE AND MINIMIZES POST-CLOSURE FORMATION AND RELEASE OF LEACHATE AND EXPLOSIVE GASES TO AIR, SOIL GROUND WATER OR SURFACE WATER. SPECIFIES ACCEPTABLE CAP DESIGN; SOIL BARRIER LAYER, GRANULAR DRAINAGE LAYER, SOIL AND VEGETATIVE LAYER. PROVIDES FOR USE OF COMPARABLE MATERIALS TO THOSE SPECIFIED WITH APPROVAL OF DIRECTOR.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEW SOLID WASTE LANDFILLS CREATED ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED IN-PLACE PER THE SOLID WASTE RULES.
DSIWM		3745-27-12	A-Q	SANITARY LANDFILL - EXPLOSIVE GAS MONITORING	ESTABLISHES WHEN AN EXPLOSIVE GAS MONITORING PLAN IS REQUIRED FOR SOLID WASTE LANDFILLS. SPECIFIES THE MINIMUM INFORMATION REQUIRED IN SUCH A PLAN, INCLUDING DETAILED ENGINEERING PLANS, SPECIFICATIONS, INFORMATION ON GAS GENERATION POTENTIAL, SAMPLING AND MONITORING PROCEDURES, ETC. MANDATES WHEN REPAIRS MUST BE MADE TO AN EXPLOSIVE GAS MONITORING SYSTEM. THIS RULE ONLY APPLIES TO LANDFILLS WHICH RECEIVED PUTRESCIBLE SOLID WASTES. REQUIRES CORRECTIVE ACTIONS WHEN EXPLOSIVE GAS HAZARDS ARE DETECTED. EMPOWERS DIRECTOR TO ORDER ACTIONS TO ABATE EXPLOSIVE GAS HAZARDS.	PERTAINS TO ANY SITE WHICH HAS HAD OR WILL HAVE PUTRESCIBLE SOLID WASTES PLACED ON-SITE AND WHICH HAS A RESIDENCE OR OTHER OCCUPIED STRUCTURE LOCATED WITHIN 1000 FEET OF THE EMPLACED SOLID WASTE.
DSIWM		3745-27-12	I, J	EXPLOSIVE GAS MONITORING FOR SANITARY LANDFILLS	IDENTIFIES PARAMETERS AND SCHEDULE FOR EXPLOSIVE GAS MONITORING	PERTAINS TO ANY DISPOSAL SITE WHERE EXPLOSIVE GAS GENERATION AND MIGRATION MAY BE A THREAT.

DSIWM		3745-27-13	A,C	DISTURBANCES WHERE HAZ OR SOLID WASTE FAC WAS OPERATED	REQUIRES THAT A DETAILED PLAN BE PROVIDED TO DESCRIBE HOW ANY PROPOSED FILLING, GRADING, EXCAVATING, BUILDING, DRILLING OR MINING ON LAND WHERE A HAZARDOUS WASTE FACILITY OR SOLID WASTE FACILITY WAS OPERATED WILL BE ACCOMPLISHED. THIS INFORMATION MUST DEMONSTRATE THAT THE PROPOSED ACTIVITIES WILL NOT CREATE A NUISANCE OR ADVERSELY AFFECT THE PUBLIC HEALTH OR THE ENVIRONMENT. SPECIAL TERMS TO CONDUCT SUCH ACTIVITIES MAY BE IMPOSED BY THE DIRECTOR TO PROTECT THE PUBLIC AND THE ENVIRONMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HAS BEEN MANAGED, EITHER INTENTIONALLY OR OTHERWISE. DOES NOT PERTAIN TO AREAS THAT HAVE HAD ONE-TIME LEAKS OR SPILLS.
DSIWM		3745-27-14	A	POST-CLOSURE CARE OF SANITARY LANDFILL FACILITIES	SPECIFIES THE REQUIRED POST-CLOSURE CARE FOR SOLID WASTE FACILITIES. INCLUDES CONTINUING OPERATION OF LEACHATE AND SURFACE WATER MANAGEMENT SYSTEMS, MAINTENANCE OF THE CAP SYSTEM AND GROUND WATER MONITORING.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEWLY CREATED SOLID WASTE LANDFILLS ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED PER THE SOLID WASTE RULES.
DSIWM		3745-27-19	E	SANITARY LANDFILL GENERAL OPERATIONAL REQUIREMENTS	SPECIFIES GENERAL OPERATIONAL REQUIREMENTS FOR SOLID WASTE LANDFILLS. INCLUDES REQUIREMENTS FOR: PREPARATIONS FOR OPERATING DURING INCLEMENT WEATHER; MANAGEMENT TO MINIMIZE NOISE , DUST AND ODORS; VECTOR CONTROL; ADEQUATE FIRE CONTROL EQUIPMENT; NOT CAUSING A NUISANCE OR HEALTH HAZARD OR WATER POLLUTION; MINIMIZATION OF DISTURBED AREA; CHEMICAL COMPATIBILITY TESTING, IF NECESSARY. SPECIFIES THAT BULK LIQUIDS, HAZARDOUS WASTE , PCBs AND INFECTIOUS WASTE MAY NOT BE ACCEPTED FOR DISPOSAL.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.
DSIWM		3745-27-19	F, G	SANITARY LANDFILL OPER. - DAILY AND INTERMEDIATE COVER	INCLUDES REQUIREMENTS FOR DAILY COVER AND INTERMEDIATE COVER FOR TEMPORARILY INACTIVE AREAS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING FACILITIES TO BE EXPANDED DURING REMEDIATION
DSIWM		3745-27-19	H	SANITARY LANDFILL OPERATIONS - FINAL COVER	INCLUDES REQUIREMENTS FOR THE FINAL CAP SYSTEM FOR AREAS AT FINAL ELEVATIONS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.

DSIWM		3745-27-19	J	SANITARY LANDFILL OPERATIONS - SURFACE WATER MGMNT.	SURFACE WATER MUST BE DIVERTED FROM AREAS WHERE SOLID WASTE IS BEING, OR HAS BEEN, DEPOSITED. ALSO REQUIRES RUN-ON AND RUN-OFF TO BE CONTROLLED TO MINIMIZE INFILTRATION THROUGH THE COVER MATERIALS AND TO MINIMIZE EROSION OF THE CAP SYSTEM.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.
DSIWM		3745-27-19	K	SANITARY LANDFILL OPERATIONS - LEACHATE MANAGEMENT	REQUIRES REPAIR OF LEACHATE OUTBREAKS; COLLECTION AND TREATMENT OF LEACHATE ON THE SURFACE OF THE LANDFILL; AND ACTIONS TO MINIMIZE, CONTROL OR ELIMINATE CONDITIONS CAUSING LEACHATE OUTBREAKS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.
DSIWM		3745-27-19	L	SANITARY LANDFILL OPERATIONS - PCBs AND HAZARDOUS WASTE	REQUIRES OWNERS/OPERATORS TO CONDUCT A PROGRAM TO DETECT PCB WASTE AND HAZARDOUS WASTE PRIOR TO DISPOSAL. UPON DETECTION OR SUSPECTED DETECTION OF SUCH WASTES, REQUIRES THOSE WASTES TO NOT BE PLACED AT THE WORKING FACE OF THE LANDFILL AND TO MANAGE THOSE WASTES IN ACCORDANCE WITH APPLICABLE LAWS AND REGULATIONS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION.
DSIWM		3745-27-20	A,B,C	SANITARY LANDFILLS - PROHIBITIONS AND CLOSURE	RULES FOR NEW AND EXISTING SITES, LOCATION RULES WITH RESPECT TO FLOOD PLAINS, AIRPORTS, GEOLOGIC FAULTS PLUS LINER /LEACHATE REQUIREMENTS.	PERTAINS TO SOLID WASTE LANDFILLS OPENED AFTER 06/01/94 OR EXISTING FACILITIES RECEIVING WASTE AFTER 06/01/94.
DSIWM		3745-27-22	C,D,I,J,K,L	CRITERIA FOR PTI FOR SOLID WASTE TRANSFER FACILITIES	REQUIRES SETBACKS FROM FLOODPLAINS, SURFACE WATERS, PARKLANDS, DOMICILES. REQUIRES SUFFICIENT STRENGTH IN WASTE HANDLING FLOOR AND CONSTRUCTION OF LEACHATE CONTROL SYSTEM.	MAY PERTAIN TO REMEDIATION ACTIVITIES WHICH INVOLVE SOLID WASTE TRANSFER.
DSIWM		3745-27-23	D-Z	OPERATION OF SOLID WASTE TRANSFERS FACILITIES.	DISCUSSES ACCESS CONTROL, TIME LIMITS FOR TRANSFER, ODOR CONTROL, FORBIDDEN WASTES, LEACHATE CONTROL, GW MONITORING, EMERGENCY PLANNING	MAY PERTAIN TO REMEDIATION EFFORTS WHICH INVOLVE WASTE TRANSPORTATION.
DSIWM		3745-27-24	C,D,G	FINAL CLOSURE OF SOLID WASTE TRANSFER FACILITIES.	REQUIRES CLEANUP AND WASTE REMOVAL FROM TRANSFER FACILITY AFTER SHUTDOWN. REQUIRES DECOMMISSIONING OF LEACHATE CONTROL SYSTEM.	MAY PERTAIN TO TRANSFER FACILITIES USED IN REMEDIATION EFFORTS.
DSIWM		3745-27-51	C,D,I,J,K,L,M,N	ADDITIONAL CRITERIA FOR SOLID WASTE INCINERATOR PTI	RULES FOR LOCATION OF INCINERATOR (SETBACK FROM WATER SUPPLIES, FLOODPLAINS, PARKLANDS, DOMICILES). CONSTRUCTION GUIDELINES INCLUDING LEACHATE CONTROL SYSTEM.	PERTAINS TO SOLID WASTE INCINERATORS WHICH MAY BE CONSTRUCTED AS PART OF REMEDIATION EFFORTS AT SITE.

DSIWM		3745-27-52	A-Z	OPERATION OF SOLID WASTE INCINERATOR FACILITIES	RULES FOR SAFE OPERATION OF INCINERATOR INCLUDING ACCESS CONTROL, FIRE CONTROL, RECORD KEEPING, EMERGENCY PLANS, ON-SITE STORAGE, WASTES FORBIDDEN FROM INCINERATION, GROUNDWATER MONITORING, LEACHATE CONTROL, WASTE HANDLING.	PERTAINS TO INCINERATORS WHICH MAY BE CONSTRUCTED AS PART OF ON-SITE REMEDIATION EFFORTS.
DSIWM		3745-27-53	C,D	FINAL CLOSURE, SOLID WASTE INCINERATOR	REQUIRES INCINERATOR SITE TO BE DECONTAMINATED UPON CLOSURE AND LEACHATE SYSTEM DECOMMISSIONED TO PREVENT FUTURE POLLUTION PROBLEMS.	APPLICABLE TO SITES WHICH INCINERATED HAZARDOUS WASTES
DSIWM		3745-29-06		PERMIT TO INSTALL ISW LANDFILL	REQUIRES TECHNICAL INFORMATION ON SITE AND SURROUNDING FOR PROPOSED LANDFILL AS WELL AS TECHNICAL DETAILS OF DESIGN AND OPERATION OF SITE.	INDUSTRIAL SOLID WASTE LANDFILL
DSIWM		3745-29-07	C,D,H	ADDITIONAL CRITERIA FOR ISW LANDFILLS	SITING CRITERIA SPECIFY MINIMUM SETBACK DISTANCES FROM PARKLANDS, GROUNDWATER SOURCES, MINES RIVERS, PROPERTY LINES, DOMICILES AND SURFACE WATER	INDUSTRIAL SOLID WASTE LANDFILLS
DSIWM		3745-29-08	C,D,E,F	CONSTRUCTION REQUIREMENTS FOR ISW LANDFILLS	SPECIFIES REQUIREMENTS FOR LINERS, TEST PADS, LEACHATE COLLECTION SYSTEMS, SURVEY MARKERS, SURFACE WATER CONTROL, GAS CONTROL, EARTHQUAKE RESISTANCE, CAPPING.	INDUSTRIAL SOLID WASTE LANDFILLS
DSIWM		3745-29-10	A-F	GROUNDWATER MONITORING PLAN FOR ISW LANDFILLS	REQUIRES GROUNDWATER MONITORING SYSTEM, LISTS CHEMICALS TO BE TESTED FOR, DISCUSSES STATISTICAL METHODS TO BE USED, REQUIRES CORRECTIVE ACTION PLANS IF CONTAMINATION IS FOUND.	APPLICABLE TO UPPERMOST AQUIFER UNDER LANDFILL AND ZONES OF SATURATION ABOVE THAT AQUIFER.
DSIWM		3745-29-11	B,G,H	FINAL CLOSURE OF ISW LANDFILLS	REQUIRES CAPPING , REGRADING, GROUNDWATER MONITORING, SURFACE WATER MANAGEMENT, LEACHATE CONTROL AND FENCING FOR CLOSED SITES.	INDUSTRIAL SOLID WASTE LANDFILLS
DSIWM		3745-29-14	A,B	POST CLOSURE CARE OF ISW LANDFILL	REQUIRES CONTINUING MAINTENANCE OF CAP, GROUNDWATER MONITORING SYSTEM, GAS CONTROL SYSTEM, LEACHATE CONTROL SYSTEM, SURFACE WATER CONTROL. MANDATES QUARTERLY INSPECTION. GENERALLY REQUIRES CARE FOR 30 YEARS AFTER CLOSURE.	PERTAINS TO SITES CLOSED AFTER 03/01/87
DSIWM		3745-29-19	E,F,J,K	OPERATIONAL CRITERIA FOR ISW LANDFILLS	SPECIFIES REQUIREMENTS FOR FENCING, LITTER CONTROL, RODENT CONTROL, FORBIDDEN WASTES (LIQUIDS, INFECTIOUS, ASBESTOS, PCB'S ETC.) COVER REQUIREMENTS, SURFACE WATER CONTROL, PERSONNEL QUALIFICATIONS, LEACHATE MANAGEMENT, CAPPING , RECORD KEEPING.	INDUSTRIAL SOLID WASTE LANDFILLS EXCEPT IF PLAN WAS APPROVED PRIOR TO 07/29/76 OR IF PERMIT TO INSTALL WAS ISSUED PRIOR TO 01/01/80

VAP		3745-300-08	A-E	GENERIC NUMERICAL STANDARDS	VOLUNTARY ACTION PROGRAM CLEANUP VALUES FOR SOIL, DRINKING WATER AND SURFACE WATER	CONSIDER FOR SITES WITH CONTAMINATED SOIL OR WATER, EVALUATE RISK ASSUMPTIONS OF SITE WHEN CONSIDERING VAP STANDARDS.
DSIWM		3745-30-04	A-C	RESIDUAL WASTE LANDFILL CLASSIFICATION	GIVES STANDARDS FOR CLASSIFICATION OF RESIDUAL WASTES. GIVES EXCEPTIONS FROM MONITORING, SOIL LINER, CAPPING, GEOMEMBRANE, LEACHATE COLLECTION REQUIREMENTS FOR CLASS IV WASTES.	PERTAINS TO REMEDIATION SITES WITH WASTES THAT QUALIFY AS RESIDUAL SOLID WASTE. GIVES RULES FOR DISPOSAL OF THOSE WASTES.
DSIWM		3745-30-06	B	CRITERIA FOR PTI FOR RESIDUAL SOLID WASTE LANDFILL	LOCATION CRITERIA WITH RESPECT TO PARKLANDS, WATER SUPPLIES, QUAKE FAULTS, MINES, FLOODPLAINS. SEPARATION REQUIREMENTS BETWEEN LANDFILL LINERS AND AQUIFERS FOR EACH CLASS OF RESIDUAL SOLID WASTE.	PERTAINS TO REMEDIATION SITES WITH RESIDUAL SOLID WASTE. GIVES RULES FOR DISPOSAL OF THOSE WASTES.
DSIWM		3745-30-07	C,D,E	RESIDUAL SOLID WASTE LANDFILL FACILITY CONSTRUCTION	LINER REQUIREMENTS FOR EACH CLASS OF RESIDUAL SOLID WASTE. REQUIREMENTS FOR GEOMEMBRANES, LEACHATE COLLECTION SYSTEM, WATER RUNOFF CONTROL, GAS CONTROL, TEST PADS, ETC.	PERTAINS TO REMEDIATION SITES WITH RESIDUAL SOLID WASTE. GIVES RULES FOR RESIDUAL SOLID WASTE DISPOSAL.
DSIWM		3745-30-08	B-F	GROUNDWATER MONITORING, RESIDUAL SOLID WASTE LANDFILLS	REQUIRES MONITORING WELLS FOR UPPERMOST AQUIFER AND ZONE OF SATURATION BELOW LANDFILL. REQUIRES COLLECTION PLAN, QA PROCEDURES AND CORRECTIVE ACTION IF CONTAMINATION OCCURS.	PERTAINS TO SITES WHERE RESIDUAL SOLID WASTE IS BURIED.
DSIWM		3745-30-09	F	FINAL CLOSURE, RESIDUAL SOLID WASTE LANDFILL	REQUIRES CAPPING, GROUNDWATER MONITORING, SITE SECURITY AT RSW SITE,	PERTAINS TO RSW LANDFILL SITES.
DSIWM		3745-30-10	A,C	POST-CLOSURE CARE OF RESIDUAL WASTE LANDFILL FACILITIES	ESTABLISHES TIME FRAME FOR POST-CLOSURE CARE. REQUIRES MAINTENANCE OF CAP, LEACHATE CONTROL SYSTEM AND GAS CONTROL SYSTEM AND GROUND WATER MONITORING. MANDATES QUARTERLY INSPECTIONS.	PERTAINS TO SITES WHERE RSW IS LANDFILLED.
DSIWM		3745-30-14	D-DD	OPERATION OF FACILITIES	REQUIRES CONTROL OF ODORS, NOISE, ACCESS, DUST, AIR EMISSIONS. INCLUDES REQUIREMENTS FOR CAPPING, COVERING, SURFACE WATER CONTROL, LEACHATE CONTROL, FIRE PREVENTION, NUISANCE AVOIDANCE.	PERTAINS TO SITES WHERE RSW IS LANDFILLED.
APC		3745-31-02	A,C,D	PERMIT TO INSTALL, GENERAL REQUIREMENTS	GENERAL REQUIREMENTS FOR PERMIT TO INSTALL AIR POLLUTION SOURCES	CONSIDER FOR SITES WITH POTENTIAL FOR AIR EMISSIONS, INCLUDING SITES WITH SOIL VAPOR EXTRACTION, THERMAL DESORPTION, INCINERATION OR OTHER TREATMENT TECHNOLOGIES WITH AIR EMISSIONS
DSW		3745-32-05		WATER QUALITY CRITERIA FOR DECISION BY THE DIRECTOR	SPECIFIES SUBSTANTIVE CRITERIA FOR SECTION 401 WATER QUALITY CRITERIA FOR DREDGING, FILLING, OBSTRUCTING OR ALTERING WATERS OF THE STATE.	PERTAINS TO ANY SITE THAT HAS OR WILL AFFECT WATERS OF THE STATE.

UIC		3745-34-06		PROHIBITION OF UNAUTHORIZED INJECTION	UNDERGROUND INJECTION IS PROHIBITED WITHOUT AUTHORIZATION FROM THE DIRECTOR.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-07		NO MOVEMENT OF FLUID INTO UNDERGROUND DRINKING WATER	THE UNDERGROUND INJECTION OF FLUID CONTAINING ANY CONTAMINANT INTO AN UNDERGROUND SOURCE OF DRINKING WATER IS PROHIBITED IF THE PRESENCE OF THAT CONTAMINANT MAY CAUSE A VIOLATION OF THE PRIMARY DRINKING WATER STANDARDS OR OTHERWISE ADVERSELY AFFECT THE HEALTH OF PERSONS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-08		ELIMINATION OF CLASS IV WELLS	THE INJECTION OF HAZARDOUS OR RADIOACTIVE WASTE DIRECTLY INTO AN UNDERGROUND SOURCE OF DRINKING WATER IS PROHIBITED.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-09		REQUIREMENTS FOR WELLS INJECTING HAZARDOUS WASTE	SPECIFIES REQUIREMENTS FOR THE INJECTION OF HAZARDOUS WASTES UNDERGROUND. SEE 3745-34-08 FOR LIMITATIONS.6 OF THE ORC.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-13		CLASS V WELLS	SPECIFIES REQUIREMENTS FOR CLASS V WELLS. SEE 3745-34-04 FOR DEFINITIONS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-26		CONDITIONS APPLICABLE TO ALL PERMITS	SPECIFIES MINIMUM CONDITIONS TO BE APPLIED TO ALL UNDERGROUND INJECTIONS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-34		MECHANICAL INTEGRITY	SPECIFIES REQUIREMENTS TO BE MET TO ENSURE MECHANICAL INTEGRITY OF WELLS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-36		PLUGGING AND ABANDONING CLASS I WELLS	SPECIFIES REQUIREMENTS TO BE MET WHEN PLUGGING OR ABANDONING A CLASS I WELL. SEE 3745-34-04 FOR DEFINITIONS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-37		CONSTRUCTION REQUIREMENTS FOR CLASS I WELLS	SPECIFIES CONSTRUCTION AND SITING REQUIREMENTS FOR CLASS I WELLS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
UIC		3745-34-38		OPERATING, MONITORING & REPORTING REQ FOR CLASS I WELLS	SPECIFIES OPERATING, MONITORING AND REPORTING REQUIREMENTS NECESSARY FOR CLASS I WELLS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.
HW		3745-50-44	A	PERMIT INFO REQUIRED FOR ALL HAZ WASTE FACILITIES	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE FACILITY COMPLIANCE. INCLUDES INFORMATION SUCH AS FACILITY DESCRIPTION, WASTE CHARACTERISTICS, EQUIPMENT DESCRIPTIONS, CONTINGENCY PLAN, FACILITY LOCATION, TOPOGRAPHIC MAP, ETC.	PERTAINS TO ANY SITE WHICH WILL HAVE TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTE OCCURRING ON-SITE OR HAS EXISTING AREAS OF HAZARDOUS WASTE CONTAMINATION ON-SITE THAT WILL BE CAPPED IN-PLACE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE. CORRECTIVE ACTION FOR WASTE MANAGEMENT UNITS

HW		3745-50-44	B	PERMIT INFO REQ FOR ALL HAZ WASTE LAND DISP FACILITIES	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE LAND DISPOSAL PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUATE PROTECTION OF THE GROUND WATER. INCLUDES INFORMATION SUCH AS GROUND WATER MONITORING DATA, INFORMATION ON INTERCONNECTED AQUIFERS, PLUME(S) OF CONTAMINATION, PLANS AND REPORTS ON GROUND WATER MONITORING PROGRAM, ETC. MANAGEMENT OF SOLID/HAZARDOUS WAS	PERTAINS TO ANY FACILITY/SITE WHICH WILL HAVE HAZARDOUS WASTE DISPOSED OF ON-SITE OR HAS EXISTING AREAS OF HAZARDOUS WASTE CONTAMINATION ON-SITE THAT WILL BE CAPPED IN-PLACE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C1	ADD'L PERMIT INFO: HAZ WASTE STORAGE IN CONTAINERS	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF CONTAINER STORAGE. INCLUDES INFORMATION SUCH AS DESCRIPTION OF CONTAINMENT SYSTEM, DETAILED DRAWINGS, ETC. SEE OAC 3745-55-70 THROUGH 3745-55-78 FOR ADDITIONAL CONTAINER REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH STORAGE OF HAZARDOUS WASTE ON-SITE WILL OCCUR IN CONTAINERS. CONSIDER FOR WASTES AND CONTAMINATED SOILS THAT ARE STORED PRIOR TO TREATMENT OR DISPOSAL. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-55-70 THROUGH 3745-55-78, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C13	ADDTL. PERMIT INFO: DRIP PADS	TECHNICAL INFORMATION REQUIRED FOR DRIP PAD OPERATION	CONSIDER FOR SITES EMPLOYING DRIP PADS IN REMEDIAL ACTIONS
HW		3745-50-44	C2	ADD'L PERMIT INFO: HAZ WASTE STORAGE/ TREAT IN TANKS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF TANK TREATMENT AND STORAGE UNITS. INCLUDES INFORMATION SUCH AS ASSESSMENT OF STRUCTURAL INTEGRITY, DETAILED PLANS OF TANK SYSTEM(S), DESCRIPTION OF SECONDARY CONTAINMENT SYSTEM, ETC. SEE OAC 3745-55-90 THROUGH 3745-55-99 FOR ADDITIONAL REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH STORAGE OR TREATMENT OF HAZARDOUS WASTE IN TANKS WILL OCCUR ON-SITE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-55-90 THROUGH 3745-55-99, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C3	ADD'L PERMIT INFO: HAZ WASTE STOR/TREAT IN SURF IMPOUND	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF BOTH NEW SURFACE IMPOUNDMENTS AND EXTENSIONS OF EXISTING SURFACE IMPOUNDMENTS USED TO STORE OR TREAT HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED PLANS AND REPORTS, INFORMATION ON STRUCTURAL INTEGRITY, CLOSURE INFORMATION, ETC. SEE OAC 3745-56-20 THROUGH 3745-56-33 FOR ADDITIONAL SURFACE IMPOUNDMENT REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH EITHER A NEW SURFACE IMPOUNDMENT WILL BE INSTALLED OR AN EXISTING SURFACE IMPOUNDMENT WILL BE EXPANDED. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-20-50 THROUGH 3745-33-60, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.

HW		3745-50-44	C4	ADD'L PERMIT INFO: HAZ WASTE STOR/TREAT IN WASTE PILES	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF WASTE PILES USED TO TREAT OR STORE HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC.	PERTAINS TO SITES AT WHICH HAZARDOUS WASTE WILL BE STORED OR TREATED IN WASTE PILES. CONSIDER FOR TEMPORARY STORAGE ALSO.
HW		3745-50-44	C5	ADD'L PERMIT INFO: HAZ WASTE TREAT/DISP BY LAND TREAT	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF LAND TREATMENT TO TREAT OR DISPOSE OF HAZARDOUS WASTES. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DESIGN MEASURES TO MAXIMIZE TREATMENT, DIMENSIONS OF TREATMENT ZONE, DESIGN OF UNIT, INFORMATION ON POTENTIAL CROPS, ETC. SEE OAC 3745-56-70 THROUGH 3745-56-83 FOR ADDITIONAL LAND TREATMENT REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH LAND TREATMENT WILL BE USED TO TREAT OR DISPOSE OF HAZARDOUS WASTES. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-20-50 THROUGH 3745-33-60, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C6	ADD'L PERMIT INFO: ENVIRONMENTAL PERFORMANCE STANDARDS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS, AND UNDERGROUND INJECTION WELLS USED TO TREAT, STORE OR DISPOSE OF HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC. SEE OAC 3745-57-01 ADDITIONAL REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE OR HAS BEEN STORED, TREATED OR DISPOSED OF IN SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS OR UNDERGROUND INJECTION WELLS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-01 ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C7	ADD'L PERMIT INFO: HAZ WASTE DISPOSAL IN LANDFILLS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF LANDFILLS USED FOR DISPOSAL OF HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC.. SEE OAC 3745-57-02 THROUGH 3745-57-18 FOR ADDITIONAL LANDFILL REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE OR HAS BEEN DISPOSED OF IN LANDFILLS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-02 THROUGH 3745-57-18, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.

HW		3745-50-44	C8	ADD'L PERMIT INFO: HAZ WASTE T/S/D IN MISC UNITS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF MISCELLANEOUS UNITS USED TO TREAT OR STORE HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC.. SEE OAC 3745-57-90 THROUGH 3745-57-93 FOR ADDITIONAL REQUIREMENTS FOR MISCELLANEOUS UNITS. PERTAINING TO CHANNELS, DITCHES,	PERTAINS TO FACILITY/SITE AT WHICH HAZARDOUS WASTE WILL BE STORED, TREATED OR DISPOSED OF IN MISCELLANEOUS UNITS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-90 THROUGH 3745-57-93, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-44	C8	ADD'L PERMIT INFO: HAZ WASTE TREATMENT BY INCINERATION	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF INCINERATORS USED TO TREAT HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, TRIAL BURN DATA, CLOSURE INFORMATION, ETC... SEE OAC 3745-57-40 THROUGH 3745-57-51 FOR ADDITIONAL INCINERATOR REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE TREATED BY INCINERATION. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-40 THROUGH 3745-57-51, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.
HW		3745-50-58	E,I,J	CONDITIONS APPLICABLE TO ALL PERMITS	ESTABLISHES GENERAL PERMIT CONDITIONS APPLIED TO ALL HAZARDOUS WASTE FACILITIES IN OHIO. INCLUDES CONDITIONS SUCH AS OPERATION AND MAINTENANCE, SITE ACCESS, MONITORING, ETC.	PERTAINS TO ALL ALTERNATIVES THAT WILL INCORPORATE TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTE.
HW		3745-50-62	A,B,C,D	TRIAL BURN FOR INCINERATORS	SPECIFIES REQUIREMENTS OF A TRIAL BURN.	PERTAINS TO ANY ALTERNATIVE INCORPORATING ON-SITE INCINERATION.
HW		3745-51-05	A-J	SPECIAL REQ. FOR CONDITIONALLY EXEMPT SMALL QUANTITY GENERATORS	SPECIFIES REQUIREMENTS FOR CONDITIONALLY EXEMPT SMALL QUANTITY GENERATORS OF HAZARDOUS WASTE. PROVIDES RELIEF FROM MANY OF THE HAZARDOUS WASTE REGULATIONS.	CONSIDER FOR SITES WHERE THE QUANTITY OF HAZARDOUS WASTE GENERATED BY AN ON-SITE ACTION WILL BE LESS THAN 100 KG PER MONTH. MONTHLY LIMIT FOR ACUTE HAZARDOUS WASTE IS ONE (1) KG.
HW		3745-51-06	A,B,C(1)	REQUIREMENTS FOR RECYCLED MATERIALS	DEFINES RECYCLED HAZARDOUS WASTES AND ESTABLISHES SPECIFIC EXEMPTIONS FOR THESE WASTES FROM THE HAZARDOUS WASTE REGULATIONS.	PERTAINS TO ANY SITE AT WHICH RECYCLING OF HAZARDOUS WASTES MAY TAKE PLACE. CONSIDER FOR SITES AT WHICH THE FOLLOWING MATERIALS ARE PRESENT: INDUSTRIAL ETHYL ALCOHOL, USED BATTERIES, USED OIL, SCRAP METAL, PETROLEUM PRODUCTS, K087 COAL AND COKE TAR SLUDGE
HW		3745-52-11	A-D	EVALUATION OF WASTES	ANY PERSON GENERATING A WASTE MUST DETERMINE IF THAT WASTE IS A HAZARDOUS WASTE (EITHER THROUGH LISTING OR BY CHARACTERISTIC).	PERTAINS TO SITES AT WHICH WASTES OF ANY TYPE (BOTH SOLID AND HAZARDOUS) ARE LOCATED.
HW		3745-52-12	A-C	GENERATOR IDENTIFICATION NUMBER	A GENERATOR MUST NOT STORE, TREAT DISPOSE OR TRANSPORT HAZARDOUS WASTES WITHOUT A GENERATOR NUMBER	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL

HW		3745-52-20		HAZARDOUS WASTE MANIFEST - GENERAL REQUIREMENTS	REQUIRES A GENERATOR WHO TRANSPORTS OR OFFERS FOR TRANSPORTATION HAZARDOUS WASTE FOR OFF-SITE TREATMENT, STORAGE OR DISPOSAL TO PREPARE A UNIFORM HAZARDOUS WASTE MANIFEST	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL
HW		3745-52-22		HAZARDOUS WASTE MANIFEST - NUMBER OF COPIES	SPECIFIES THE NUMBER OF MANIFEST COPIES TO BE PREPARED	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL
HW		3745-52-23		HAZARDOUS WASTE MANIFEST - USE	SPECIFIES PROCEDURES FOR THE USE OF HAZARDOUS WASTE MANIFESTS INCLUDING A REQUIREMENT THAT THEY BE HAND SIGNED BY THE GENERATOR	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL
HW		3745-52-30		HAZARDOUS WASTE PACKAGING	REQUIRES A GENERATOR TO PACKAGE HAZARDOUS WASTE IN ACCORDANCE WITH U.S. DOT REGULATIONS FOR TRANSPORTATION OFF-SITE.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.
HW		3745-52-31		HAZARDOUS WASTE LABELING	REQUIRES PACKAGES OF HAZARDOUS WASTE TO BE LABELED IN ACCORDANCE WITH U.S.DOT REGULATIONS FOR OFF-SITE TRANSPORTATION.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.
HW		3745-52-32		HAZARDOUS WASTE MARKING	SPECIFIES LANGUAGE FOR MARKING PACKAGES OF HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.
HW		3745-52-33		HAZARDOUS WASTE PLACARDING	GENERATOR SHALL PLACARD HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.
HW		3745-52-34		ACCUMULATION TIME OF HAZARDOUS WASTE	IDENTIFIES MAXIMUM TIME PERIODS THAT A GENERATOR MAY ACCUMULATE A HAZARDOUS WASTE WITHOUT BEING CONSIDERED AN OPERATOR OF A STORAGE FACILITY. ALSO ESTABLISHES STANDARDS FOR MANAGEMENT OF HAZARDOUS WASTES BY GENERATORS.	PERTAINS TO A SITE WHERE HAZARDOUS WASTE WILL BE GENERATED AS A RESULT OF THE REMEDIAL ACTIVITIES.
HW		3745-52-40	A-D	RECORDKEEPING REQUIREMENTS, THREE YEAR RETENTION	SPECIFIES RECORDS THAT SHALL BE KEPT FOR THREE YEARS	CONSIDER FOR SITES AT WHICH HAZARDOUS WASTES ARE GENERATED
HW		3745-52-41	A,B	ANNUAL REPORT	REQUIRES GENERATORS TO PREPARE ANNUAL REPORT TO OEPA	APPLICABLE AT SITES GENERATING WASTES FOR OFF--SITE SHIPMENT
HW		3745-54-13	A	GENERAL ANALYSIS OF HAZARDOUS WASTE	PRIOR TO ANY TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES, A REPRESENTATIVE SAMPLE OF THE WASTE MUST BE CHEMICALLY AND PHYSICALLY ANALYZED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-14	A,B,C	SECURITY FOR HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE SECURED SO THAT UNAUTHORIZED AND UNKNOWING ENTRY ARE MINIMIZED OR PROHIBITED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).

HW		3745-54-15	A,C	INSPECTION REQUIREMENTS FOR HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE INSPECTED REGULARLY TO DETECT MALFUNCTIONS, DETERIORATIONS, OPERATIONAL ERRORS AND DISCHARGES. ANY MALFUNCTIONS OR DETERIORATIONS DETECTED SHALL BE REMEDIATED EXPEDITIOUSLY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-17	A,B,C	REQ FOR IGNITABLE, REACTIVE OR INCOMPATIBLE HAZ WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE, REACTIVE OR INCOMPATIBLE WASTES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE, IGNITABLE OR INCOMPATIBLE WASTES ARE PRESENT.
HW		3745-54-18	A,B,C	LOCATION STANDARDS FOR HAZARDOUS WASTE T/S/D FACILITIES	RESTRICTS THE SITING OF HAZARDOUS WASTE FACILITIES IN AREAS OF SEISMIC ACTIVITY OR FLOODPLAINS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-31		DESIGN & OPERATION OF HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE DESIGNED, CONSTRUCTED, MAINTAINED AND OPERATED TO MINIMIZE THE POSSIBILITY OF FIRE, EXPLOSION OR UNPLANNED RELEASE OF HAZARDOUS WASTE OR HAZARDOUS CONSTITUENTS TO THE AIR, SOIL OR SURFACE WATER WHICH COULD THREATEN HUMAN HEALTH OR THE ENVIRONMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-32	A,B,C,D	REQUIRED EQUIPMENT FOR HAZARDOUS WASTE FACILITIES	ALL HAZARDOUS WASTE FACILITIES MUST BE EQUIPPED WITH EMERGENCY EQUIPMENT, SUCH AS AN ALARM SYSTEM, FIRE CONTROL EQUIPMENT AND A TELEPHONE OR RADIO.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF). SPECIFICATIONS
HW		3745-54-33		TESTING & MAINTENANCE OF EQUIPMENT; HAZ WASTE FACILITIES	ALL HAZARDOUS WASTE FACILITIES MUST TEST AND MAINTAIN EMERGENCY EQUIPMENT TO ASSURE PROPER OPERATION.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-34		ACCESS TO COMMUNICATIONS OR ALARM SYSTEM; HAZ WASTE FAC	WHENEVER HAZARDOUS WASTE IS BEING HANDLED, ALL PERSONNEL INVOLVED SHALL HAVE IMMEDIATE ACCESS TO AN INTERNAL ALARM OR EMERGENCY COMMUNICATION DEVICE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-35		REQUIRED AISLE SPACE AT HAZ WASTE FACILITIES	ADEQUATE AISLE SPACE SHALL BE MAINTAINED TO ALLOW UNOBSTRUCTED MOVEMENT OF PERSONNEL, FIRE EQUIPMENT, SPILL CONTROL EQUIPMENT AND DECONTAMINATION EQUIPMENT INTO ANY AREA OF THE FACILITY OPERATION IN THE EVENT OF AN EMERGENCY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF). CONSIDER FOR SITES WHERE WASTES WILL BE STORED IN CONTAINERS.
HW		3745-54-37	A,B	ARRANGEMENTS/ AGREEMENTS WITH LOCAL AUTHORITIES	ARRANGEMENTS OR AGREEMENTS WITH LOCAL AUTHORITIES, SUCH AS POLICE, FIRE DEPARTMENT AND EMERGENCY RESPONSE TEAMS MUST BE MADE. IF LOCAL AUTHORITIES WILL NOT COOPERATE, DOCUMENTATION OF THAT NON-COOPERATION SHOULD BE PROVIDED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).

HW		3745-54-52	A-F	CONTENT OF CONTINGENCY PLAN; HAZ WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST HAVE A CONTINGENCY PLAN THAT ADDRESSES ANY UNPLANNED RELEASE OF HAZARDOUS WASTES OR HAZARDOUS CONSTITUENTS INTO THE AIR, SOIL OR SURFACE WATER. THIS RULE ESTABLISHES THE MINIMUM REQUIRED INFORMATION OF SUCH A PLAN.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-53	A,B	COPIES OF CONTINGENCY PLAN; HAZARDOUS WASTE FACILITIES	COPIES OF THE CONTINGENCY PLAN REQUIRED BY 3745-54-50 MUST BE MAINTAINED AT THE FACILITY AND SUBMITTED TO ALL LOCAL POLICE DEPARTMENTS, FIRE DEPARTMENTS, HOSPITALS LOCAL EMERGENCY RESPONSE TEAMS AND THE OHIO EPA.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF)
HW		3745-54-54	A	AMENDMENT OF CONTINGENCY PLAN; HAZ WASTE FACILITIES	THE CONTINGENCY PLAN MUST BE AMENDED IF IT FAILS IN AN EMERGENCY, THE FACILITY CHANGES (IN ITS DESIGN, CONSTRUCTION, MAINTENANCE OR OPERATION), THE LIST OF EMERGENCY COORDINATORS CHANGE OR THE LIST OF EMERGENCY EQUIPMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-55		EMERGENCY COORDINATOR; HAZARDOUS WASTE FACILITIES	AT ALL TIMES THERE SHOULD BE AT LEAST ONE EMPLOYEE EITHER ON THE PREMISES OR ON CALL TO COORDINATE ALL EMERGENCY RESPONSE MEASURES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-56	A-I	EMERGENCY PROCEDURES; HAZARDOUS WASTE FACILITIES	SPECIFIES THE PROCEDURES TO BE FOLLOWED IN THE EVENT OF AN EMERGENCY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).
HW		3745-54-73	A,B	OPERATING RECORD	SPECIFIES RECORDS TO BE KEPT AT TSD FACILITIES	CONSIDER FOR SITES WITH ON-SITE TREATMENT, STORAGE OR DISPOSAL
HW		3745-54-77	A	ADDITIONAL REPORTS	REQUIRES FACILITIES TO REPORT FIRES, EXPLOSIONS OR OTHER MISHAPS	CONSIDER AT SITES WITH TREATMENT, STORAGE OR DISPOSAL ON-SITE
HW		3745-54-90		GROUND WATER PROTECTION; APPLICABILITY	ESTABLISHES CIRCUMSTANCES UNDER WHICH AN OPERATOR OF A HAZARDOUS WASTE FACILITY MUST IMPLEMENT A GROUND WATER PROTECTION PROGRAM OR A CORRECTIVE ACTION PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-91	A	REQ GROUND WATER PROGRAMS FOR HAZ WASTE FACILITIES	PRESENTS THE GROUND WATER MONITORING AND RESPONSE PROGRAMS REQUIRED FOR HAZARDOUS WASTE LAND-BASED UNITS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.

HW		3745-54-92		GROUND WATER PROTECTION STANDARD; HAZ WASTE FACILITIES	COMPLIANCE MUST BE ATTAINED WITH THE CONDITIONS SPECIFIED IN THE PERMIT TO ENSURE THAT HAZARDOUS CONSTITUENTS (SEE 3745-54-93) DO NOT EXCEED THE PROMULGATED LIMITS (SEE 3745-54-94).	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-95	A,B	POINT OF COMPLIANCE FOR GROUND WATER; HAZ WASTE FACIL	ESTABLISHES POINT OF COMPLIANCE AT VERTICAL SURFACE LOCATED AT THE HYDRAULICALLY DOWNGRADIENT LIMIT OF THE WASTE MANAGEMENT AREA THAT EXTENDS DOWN INTO THE UPPERMOST AQUIFER UNDERLYING THE UNIT(S).	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-96	A,B,C	COMPLIANCE PERIOD FOR GROUND WATER; HAZ WASTE FACIL	COMPLIANCE PERIOD DURING WHICH THE GROUND WATER PROTECTION STANDARDS APPLY WILL BE SPECIFIED IN THE PERMIT. RULE REQUIRES THAT THE COMPLIANCE PERIOD FOR A FACILITY UNDERGOING A CORRECTIVE ACTION PROGRAM WILL EXTEND UNTIL IT CAN BE DEMONSTRATED THAT THE GROUND WATER PROTECTION STANDARD OF OAC 3745-54-92 HAS NOT BEEN EXCEEDED FOR A PERIOD OF THREE CONSECUTIVE YEARS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-97	A-H	GEN GROUND WATER MONITORING REQUIREMENTS; HAZ WASTE FAC	PRESENTS GENERAL GROUND WATER MONITORING PROGRAM REQUIREMENTS. INCLUDES NUMBER, LOCATION AND DEPTH OF WELLS, CASING REQUIREMENTS, SAMPLING AND ANALYSIS PROCEDURES, ETC.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-98	A-I	GROUND WATER DETECTION MONITORING PROG; HAZ WASTE FAC	PRESENTS REQUIREMENTS OF GROUND WATER DETECTION PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE NOT BEEN DETECTED IN THE GROUND WATER. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-54-99	A-J	GROUND WATER COMPLIANCE MONITORING PROG; HAZ WASTE FAC	PRESENTS REQUIREMENTS OF GROUND WATER COMPLIANCE MONITORING PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-55-01	A-F	GROUND WATER CORRECTIVE ACTION PROGRAM; HAZ WASTE FAC	PRESENTS THE REQUIREMENTS OF A GROUND WATER CORRECTIVE ACTION PROGRAM THAT PREVENTS HAZARDOUS CONSTITUENTS FROM EXCEEDING THEIR RESPECTIVE CONCENTRATION LIMITS AT THE COMPLIANCE POINT BY EITHER REMOVAL OR TREATMENT OF THESE HAZARDOUS CONSTITUENTS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.

HW		3745-55-011	A,C	CORRECTIVE ACTION FOR WASTE MANAGEMENT UNITS	REQUIRES AN APPLICANT FOR A HAZARDOUS WASTE PERMIT TO INSTITUTE CORRECTIVE ACTION FOR ALL RELEASES OF HAZARDOUS WASTE OR CONSTITUENTS FROM ANY WASTE MANAGEMENT UNIT, REGARDLESS OF THE TIME AT WHICH WASTE WAS PLACED IN SUCH UNIT.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-55-11	A,B,C	GENERAL CLOSURE PERFORMANCE STANDARD; HAZ WASTE FACIL	REQUIRES THAT ALL HAZARDOUS WASTE FACILITIES BE CLOSED IN A MANNER THAT MINIMIZES THE NEED FOR FURTHER MAINTENANCE, CONTROLS, MINIMIZES, ELIMINATES OR PREVENTS POST-CLOSURE ESCAPE OF HAZARDOUS WASTE, HAZARDOUS CONSTITUENTS, LEACHATE, CONTAMINATED RUN-OFF OR HAZARDOUS WASTE DECOMPOSITION PRODUCTS TO THE GROUND OR SURFACE WATER OR THE ATMOSPHERE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).
HW		3745-55-12	B	CONTENT OF CLOSURE PLAN; HAZ WASTE FACILITIES	SPECIFIES THE MINIMUM INFORMATION REQUIRED IN A CLOSURE PLAN FOR OHIO EPA TO DETERMINE THE ADEQUACY OF THE PLAN.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).
HW		3745-55-14		DISPOSAL/ DECON OF EQUIPMENT, STRUCTURES & SOILS	REQUIRES THAT ALL CONTAMINATED EQUIPMENT, STRUCTURES AND SOILS BE PROPERLY DISPOSED OF OR DECONTAMINATED. REMOVAL OF HAZARDOUS WASTES OR CONSTITUENTS FROM A UNIT MAY CONSTITUTE GENERATION OF HAZARDOUS WASTES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).
HW		3745-55-17	B	POST-CLOSURE CARE AND USE OF PROPERTY	SPECIFIES THE POST-CLOSURE CARE REQUIREMENTS, INCLUDING MAINTENANCE, MONITORING AND POST-CLOSURE USE OF PROPERTY.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-55-18	B	POST-CLOSURE PLAN	PRESENTS THE INFORMATION NECESSARY FOR OHIO EPA TO DETERMINE THE ADEQUACY OF A POST-CLOSURE PLAN.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.

HW		3745-55-19	B	NOTICE TO LOCAL LAND AUTHORITY	REQUIRES THAT A RECORD OF THE TYPE, LOCATION AND QUANTITY OF HAZARDOUS WASTES DISPOSED OF IN EACH UNIT BE SUBMITTED TO THE LOCAL LAND AUTHORITY AND THE DIRECTOR OF THE OHIO EPA. ALSO REQUIRES THAT A NOTATION TO THE DEED TO THE FACILITY PROPERTY BE MADE INDICATING THAT THE LAND WAS USED TO MANAGE HAZARDOUS WASTES AND THAT CERTAIN USE RESTRICTIONS MAY APPLY TO THE PROPERTY.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-55-71		CONDITION OF CONTAINERS	CONTAINERS HOLDING HAZARDOUS WASTE MUST BE MAINTAINED IN GOOD CONDITION (NO RUST OR STRUCTURAL DEFECTS).	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-72		COMPATIBILITY OF WASTE WITH CONTAINERS	HAZARDOUS WASTES PLACED IN CONTAINER MUST NOT REACT WITH THE CONTAINER MATERIAL OR LINER MATERIAL.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-73		MANAGEMENT OF CONTAINERS	CONTAINERS HOLDING HAZARDOUS WASTE MUST BE CLOSED (EXCEPT TO ADD OR REMOVE WASTE) AND MUST NOT BE HANDLED IN A MANNER THAT MAY RUPTURE THE CONTAINER OR CAUSE IT TO LEAK.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-74		CONTAINER INSPECTIONS	REQUIRES AT LEAST WEEKLY INSPECTIONS OF CONTAINER STORAGE AREAS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-75	A,B,C,D	CONTAINER STORAGE AREA CONTAINMENT SYSTEM	REQUIRES THAT CONTAINER STORAGE AREAS HAVE A CONTAINMENT SYSTEM AND SPECIFIES THE MINIMUM REQUIREMENTS OF SUCH A SYSTEM.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-76		CONTAINER REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE OR REACTIVE WASTES THAT WILL BE STORED IN CONTAINERS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE OR IGNITABLE WASTES THAT ARE STORED, OR ARE TO BE STORED, IN CONTAINERS.
HW		3745-55-77	A,B,C	CONTAINER REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH INCOMPATIBLE WASTES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE WASTES ARE PRESENT.
HW		3745-55-78		CONTAINER CLOSURE REQUIREMENTS	SPECIFIES CLOSURE REQUIREMENTS FOR CONTAINERS AND CONTAINMENT SYSTEM.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.
HW		3745-55-91	A,B,D	ASSESSMENT OF EXISTING TANK SYSTEMS INTEGRITY	REQUIRES THAT EACH EXISTING TANK USED TO STORE OR TREAT HAZARDOUS WASTE THAT DOES NOT HAVE SECONDARY CONTAINMENT BE TESTED TO ASSURE TANK INTEGRITY.	PERTAINS TO ANY SITE WHICH HAS EXISTING HAZARDOUS WASTE TREATMENT OR STORAGE TANKS THAT LACK SECONDARY CONTAINMENT.
HW		3745-55-92	A-G	DESIGN & INSTALLATION OF NEW TANK SYSTEMS OR COMPONENTS	REQUIRES A SECONDARY CONTAINMENT SYSTEM FOR TANKS AND ASSESSMENT TO DETERMINE TANK INTEGRITY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.
HW		3745-55-93	A-G,I	CONTAINMENT AND DETECTION OF RELEASES FOR TANK SYSTEMS	REQUIRES SECONDARY CONTAINMENT AND LEAK DETECTION SYSTEMS FOR TANKS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.

HW		3745-55-94	A,B,C	GENERAL OPERATING REQUIREMENTS FOR TANK SYSTEMS	SPECIFIES GENERAL OPERATING REQUIREMENTS FOR TANK SYSTEMS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.
HW		3745-55-95	A-D	INSPECTIONS OF TANK SYSTEMS	REQUIRES INSPECTIONS AT LEAST ONCE EACH OPERATING DAY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.
HW		3745-55-96	A,B,C,E	RESPONSE TO LEAKS OR SPILLS OF TANK SYSTEMS	REQUIRES THAT UNFIT TANKS BE REMOVED FROM USE AND FURTHER RELEASES BE PREVENTED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.
HW		3745-55-97	A,B	CLOSURE AND POST-CLOSURE CARE FOR TANK SYSTEMS	SPECIFIES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR TANK SYSTEMS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS. SPECIFIES THE MINIMUM INFORMATION REQUIRED.
HW		3745-55-98		TANK REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE OR REACTIVE WASTES THAT ARE TREATED OR STORED IN TANKS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE OR IGNITABLE WASTES ARE STORED OR TREATED (OR TO BE STORED OR TREATED) IN EXISTING TANKS.
HW		3745-55-99	A,B	TANK REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY INCOMPATIBLE WASTES THAT ARE STORED OR TREATED IN TANKS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE WASTES ARE STORED OR TREATED (OR TO BE STORED OR TREATED) IN TANKS.
HW		3745-56-20	A,B	APPLICABILITY OF RULES CONCERNING SURFACE IMPOUNDMENT	SPECIFIES THAT THE RULES OF 3745-56 SHALL APPLY TO SURFACE IMPOUNDMENTS USED TO TREAT OR STORE HAZARDOUS WASTES	CONSIDER FOR SITES WITH SURFACE IMPOUNDMENTS
HW		3745-56-21	A-G	DESIGN & OPERATING REQUIREMENTS ; SURFACE IMPOUNDMENTS	PRESENTS DESIGN AND OPERATING CRITERIA FOR SURFACE IMPOUNDMENTS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-26	A,B,C	MONITORING & INSPECTION OF SURFACE IMPOUNDMENTS	REQUIRES INSPECTION OF LINERS DURING CONSTRUCTION. ALSO REQUIRES WEEKLY AND AFTER STORM INSPECTIONS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-27	A-E	EMERGENCY REPAIRS & CONTINGENCY PLANS ; SURFACE IMPOUND	SPECIFIES WHEN AND HOW SURFACE IMPOUNDMENTS SHOULD BE REMOVED FROM SERVICE FOR REPAIRS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-28	A,B,C	CLOSURE & POST-CLOSURE OF SURFACE IMPOUNDMENTS	PROVIDES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR SURFACE IMPOUNDMENTS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.

HW		3745-56-29	A,B	SURFACE IMP. REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY IGNITABLE OR REACTIVE WASTES THAT ARE STORED OR TREATED IN SURFACE IMPOUNDMENTS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-30		SURFACE IMPOUND. REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY INCOMPATIBLE WASTES THAT ARE STORED OR TREATED IN SURFACE IMPOUNDMENTS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTE WILL BE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-33	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN SURFACE IMPOUND.	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN SURFACE IMPOUNDMENTS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS F-WASTE ARE TREATED OR STORED IN SURFACE IMPOUNDMENTS (LAGOONS). PERTAINS TO SITES WHICH HAVE SURFACE IMPOUNDMENTS THAT WILL NOT BE (OR HAVE NOT BEEN) CLEAN CLOSED.
HW		3745-56-51	A-F	DESIGN & OPERATING REQUIREMENTS FOR WASTE PILES	SPECIFIES THE DESIGN AND OPERATION REQUIREMENTS FOR WASTE PILES. INCLUDES LINER SYSTEM, LEACHATE COLLECTION AND REMOVAL SYSTEM, WIND DISPERSAL PREVENTION AND RUN-ON/RUN-OFF CONTROL.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-54	A,B	MONITORING & INSPECTION OF WASTE PILES	WASTE PILES MUST BE MONITORED DURING CONSTRUCTION OR INSTALLATION AND OPERATION.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-56	A,B	WASTE PILE REQUIREMENTS FOR IGNITABLE/ REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTES THAT ARE STORED OR TREATED IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-57	A,B,C	WASTE PILE REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY INCOMPATIBLE WASTES THAT ARE STORED OR TREATED IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-58	A,B,C	CLOSURE & POST-CLOSURE CARE FOR WASTE PILES	SPECIFIES CLOSURE AND POST-CLOSURE CARE REQUIREMENTS FOR WASTE PILES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-60	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN WASTE PILES	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS F-WASTES WILL BE EITHER STORED OR TREATED IN WASTE PILES.
HW		3745-56-71	A,C	LAND TREATMENT PROGRAM	A LAND TREATMENT PROGRAM MUST BE DESIGNED TO ENSURE THAT HAZARDOUS CONSTITUENTS PLACED IN OR ON THE TREATMENT ZONE ARE DEGRADED, TRANSFORMED OR IMMOBILIZED WITHIN THE TREATMENT ZONE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.

HW		3745-56-72	A,C	LAND TREATMENT DEMONSTRATION	PRIOR TO THE ACTUAL LAND TREATMENT PROGRAM, A DEMONSTRATION (FIELD OR LABORATORY TESTS) MUST BE CONDUCTED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-73	A-G	LAND TREATMENT DESIGN AND OPERATING REQUIREMENTS	A LAND TREATMENT UNIT MUST BE DESIGNED, CONSTRUCTED, OPERATED AND MAINTAINED TO MAXIMIZE DEGRADATION, TRANSFORMATION AND IMMOBILIZATION OF HAZARDOUS CONSTITUENTS IN THE TREATMENT ZONE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-76	A-C,E	LAND TREATMENT FOOD-CHAIN CROPS	FOOD CHAIN CROPS MAY ONLY BE GROWN IN OR ON THE TREATMENT ZONE IF ALLOWED BY THE DIRECTOR. THE CRITERIA FOR THE DIRECTOR TO MAKE THIS DECISION ARE PROVIDED IN THIS RULE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-78	A-F	LAND TREATMENT UNSATURATED ZONE MONITORING	AN UNSATURATED ZONE MONITORING PROGRAM MUST BE ESTABLISHED FOR ALL LAND TREATMENT UNITS. THE REQUIREMENTS OF THIS PROGRAM ARE PRESENTED BY THIS RULE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-80	A-E	LAND TREATMENT CLOSURE & POST-CLOSURE CARE	ESTABLISHES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR LAND TREATMENT UNITS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-81	A,B	LAND TREATMENT REQUIREMENTS; IGNITABLE/REACTIVE WASTES	PROHIBITS THE APPLICATION OF IGNITABLE OR REACTIVE WASTE TO THE TREATMENT ZONE, EXCEPT UNDER CERTAIN CIRCUMSTANCES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-82		LAND TREATMENT REQUIREMENTS FOR INCOMPATIBLE WASTES	PROHIBITS THE PLACEMENT OF INCOMPATIBLE WASTE IN OR ON THE TREATMENT ZONE.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTES WILL BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-56-83	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN LAND TREATMENT	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN LAND TREATMENT UNITS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS F-WASTES ARE TO BE TREATED OR DISPOSED OF IN LAND TREATMENT UNITS.
HW		3745-57-01	A-D	ENVIRONMENTAL PERFORMANCE STANDARDS; LAND-BASED UNITS	SPECIFIES LOCATION, DESIGN, CONSTRUCTION, OPERATION, MAINTENANCE AND CLOSURE REQUIREMENTS FOR LANDFILLS, WASTE PILES, SURFACE IMPOUNDMENTS AND UNDERGROUND INJECTION WELLS.	PERTAINS TO ALL SITES THAT EITHER HAVE OR WILL HAVE AT LEAST ONE OF THE FOLLOWING UNITS ON-SITE: LANDFILLS, WASTE PILES, SURFACE IMPOUNDMENTS, LAND TREATMENT FACILITIES AND UNDERGROUND INJECTION WELLS (THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION).
HW		3745-57-03	A-I	LANDFILL DESIGN AND OPERATING REQUIREMENTS	PRESENTS DESIGN AND OPERATING REQUIREMENTS FOR LANDFILLS. INCLUDES LINER, LEACHATE COLLECTION AND REMOVAL, RUN-ON/RUN-OFF CONTROL, ETC.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE ALSO PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.

HW		3745-57-05	A,B	MONITORING AND INSPECTIONS OF LANDFILLS	REQUIRES INSPECTION OF LANDFILLS DURING CONSTRUCTION OR INSTALLATION AND OPERATION.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-57-10	A,B	LANDFILL CLOSURE AND POST-CLOSURE CARE	SPECIFIES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR HAZARDOUS WASTE LANDFILLS. INCLUDES FINAL COVER AND MAINTENANCE.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-57-12	A,B	LANDFILL REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PROHIBITS THE DISPOSAL OF IGNITABLE OR REACTIVE WASTE IN A LANDFILL, UNLESS THE WASTE IS TREATED, RENDERED OR MIXED SO THAT THE RESULTANT MATERIAL NO LONGER MEETS THE DEFINITION OF IGNITABLE OR REACTIVE WASTE.	PERTAINS TO ALL SITES AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTE MAY BE LANDFILLED.
HW		3745-57-13		LANDFILL REQUIREMENTS FOR INCOMPATIBLE WASTES	PROHIBITS THE DISPOSAL OF INCOMPATIBLE WASTE IN THE SAME CELL OF A LANDFILL.	PERTAINS TO ALL SITES AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTE MAY BE LANDFILLED.
HW		3745-57-15	A,B	LANDFILL REQUIREMENTS FOR CONTAINERS	UNLESS THEY ARE VERY SMALL, CONTAINERS MUST EITHER BE AT LEAST 90% FULL WHEN PLACED IN THE LANDFILL OR CRUSHED/SHREDDED PRIOR TO PLACEMENT IN THE LANDFILL.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND CONTAINERS ARE TO BE DISPOSED OF IN THE LANDFILL.
HW		3745-57-16	A-F	DISPOSAL OF SMALL CONTAINERS OF HAZARDOUS WASTE IN OVER	LAB PACKS CONTAINING HAZARDOUS WASTE MAY BE PLACED IN A LANDFILL IF CERTAIN REQUIREMENTS ARE MET.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND LAB PACKS ARE TO BE PLACED IN THE LANDFILL.
HW		3745-57-17	A	LANDFILL CONSTRUCTION INSPECTIONS	ALLOWS OHIO EPA OPPORTUNITY TO INSPECT LANDFILL DURING CONSTRUCTION.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.
HW		3745-57-18	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN LANDFILLS	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN LANDFILLS.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND F-WASTES ARE BEING CONSIDERED FOR LANDFILLING.
HW		3745-57-41	A,B	WASTE ANALYSIS FOR INCINERATORS	REQUIRES WASTE ANALYSIS BE PERFORMED FOR TRIAL BURN AND FOR NORMAL OPERATION OF INCINERATOR.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-42	A,B,C	PRINCIPAL ORGANIC HAZARDOUS CONSTITUENTS; INCINERATORS	ESTABLISHES METHOD BY WHICH POHCS WILL BE SPECIFIED.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.

HW		3745-57-43	A,B,C	PERFORMANCE STANDARDS FOR INCINERATORS	SPECIFIES PERFORMANCE STANDARDS THAT ALL INCINERATORS MUST MEET (DESTRUCTION REMOVAL EFFICIENCIES, HCL EMISSIONS, PARTICULATE EMISSIONS).	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-44	C	INCINERATOR TRIAL BURNS - ALTERNATIVE DATA	REQUIRES TRIAL BURN TO DETERMINE FINAL OPERATING CONDITIONS.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-45	A-F	INCINERATOR OPERATING REQUIREMENTS	SPECIFIES GENERAL OPERATING REQUIREMENTS FOR ALL INCINERATORS.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-47	A,B,C	MONITORING AND INSPECTION OF INCINERATORS	REQUIRES THE MONITORING OF CERTAIN PARAMETERS ON A CONTINUOUS BASIS AND INSPECTIONS OF EQUIPMENT.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-51		CLOSURE OF INCINERATORS	REQUIRES THAT ALL HAZARDOUS WASTE AND HAZARDOUS WASTE RESIDUES BE REMOVED FROM THE INCINERATOR SITE.	PERTAINS TO ANY ALTERNATIVE THAT WILL INCORPORATE INCINERATION OF HAZARDOUS WASTES.
HW		3745-57-72	D	CORRECTIVE ACTION MANAGEMENT UNITS.	DISCUSSES RULES FOR CORRECTIVE ACTION MANAGEMENT UNITS	CONSIDER FOR SITES WITH ON-SITE TREATMENT, STORAGE OR DISPOSAL
HW		3745-57-83	A-J	DESIGN AND OPERATING REQUIREMENTS FOR DRIP PADS.	RULES FOR OPERATION OF DRIP PADS	CONSIDER FOR SITES WHERE ON-SITE TREATMENT OR STORAGE MAY REQUIRE DRIP PADS
HW		3745-57-91	A,B,C	ENVIRONMENTAL PERFORMANCE STANDARDS FOR MISC UNITS	ESTABLISHES LOCATION, DESIGN, CONSTRUCTION, OPERATION, MAINTENANCE AND CLOSURE REQUIREMENTS FOR MISCELLANEOUS UNITS USED TO TREAT, STORE OR DISPOSE OF HAZARDOUS WASTES.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.
HW		3745-57-92		MONITORING, INSPECTING, ANALYZING, ... FOR MISC UNITS	REQUIRES THAT MONITORING, ANALYSIS, INSPECTION, RESPONSE, REPORTING AND CORRECTIVE ACTION BE CONDUCTED AS NECESSARY AT MISCELLANEOUS UNITS TO ASSURE THAT HUMAN HEALTH AND THE ENVIRONMENT ARE PROTECTED.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.
HW		3745-57-93		POST-CLOSURE CARE FOR MISC DISPOSAL UNITS	REQUIRES POST-CLOSURE CARE OF MISCELLANEOUS UNITS THAT ARE DISPOSAL UNITS AND OF TREATMENT OR STORAGE MISCELLANEOUS UNITS THAT LEAVE CONTAMINATED SOILS OR GROUND WATER AFTER CLOSURE.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.
HW		3745-66-11	A,B,C	CLOSURE PERFORMANCE STANDARD	OWNER SHALL CLOSE FACILITY IN MANNER THAT MINIMIZES NEED FOR FURTHER MAINTENANCE AND REDUCES OR ELIMINATES POLLUTION OF GROUND WATER, SURFACE WATER OR ATMOSPHERE.	CONSIDER FOR REMEDIAL PLANS THAT MAY REQUIRE EXTENDED OPERATION AND MAINTENANCE OF EQUIPMENT. CONSIDER ALTERNATIVES WITH LESS LONG-TERM O&M. APPLICABLE FOR RCRA FACILITIES, APPROPRIATE AND RELEVANT FOR OTHER SITES.

APC		3745-76-03	A-C	CONTROL REQUIREMENTS FOR MUNICIPAL SOLID WASTE LANDFILL	ESTABLISHES SIZE AND EMISSION RATE REQUIREMENT FOR NMOC GAS CONTROL. ESTABLISHES PERFORMANCE REQUIREMENTS OF 98 PERCENT GAS DESTRUCTION OR 20 PPM IN EXHAUST GAS.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-04		TEST METHODS AND PROCEDURES	REQUIRES CALCULATION OF GAS EMISSION RATE	CONSIDER FOR OLD LANDFILL SITES
APC		3745-76-05		REPORTING AND RECORDKEEPING GUIDELINES	REQUIRES RECORD KEEPING IN ACCORDANCE WITH 3745-76-12 AND 13	CONSIDER FOR OLD LANDFILL SITES
APC		3745-76-06	A,B	COMPLIANCE TIMES	REQUIRES COMPLIANCE WITH TIME SCHEDULES ESTABLISHED IN 3745-76-06	CONSIDER FOR OLD LANDFILL SITES
APC		3745-76-07	A,B	STDS FOR AIR EMISSIONS FROM MUNICIPAL WASTE LANDFILLS	REQUIRES CALCULATION OF NMOC EMISSION VOLUMES, INSTALLATION OF GAS CONTROL SYSTEM IF THRESHOLD VOLUME OF 50 MEGAGRAMS/YEAR OF GAS IS EXCEEDED, AND START COLLECTION FROM EACH AREA THAT CEASES ACCEPTING WASTES. SPECIFIES STANDARDS FOR TERMINATION OF GAS COLLECTION.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-08	A-G	OPERATIONAL STANDARDS FOR COLLECTION AND CONTROL	SPECIFIES OPERATIONAL PARAMETERS FOR GAS CONTROL SYSTEMS, INCLUDING TEMPERATURES AND GAS COMPOSITIONS IN SOURCE WELLS, GROUND LEVEL GAS COMPOSITIONS, AND MONITORING REQUIREMENTS.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-09	A-D	TESTS METHODS AND PROCEDURES	REQUIRES CALCULATION OF GAS EMISSION RATES, MEASUREMENT OF GAS COMPOSITION, MONITORING OF GAS VOLUMES AND COMPOSITIONS COLLECTED, AND DETERMINATION OF CONTROL SYSTEM EFFICIENCY.	CONSIDER FOR OLD LANDFILL SITES
APC		3745-76-10	A-E	COMPLIANCE PROVISIONS	REQUIRES CALCULATION OF EXPECTED GAS EMISSION RATES, DEMONSTRATION OF ADEQUACY OF GAS CONTROL SYSTEM, OPERATION OF GAS CONTROL SYSTEM IN CLOSED AREAS, MEASUREMENT OF SURFACE GAS CONCENTRATIONS AND CORRECTIVE ACTIONS SHOULD EMISSION STANDARDS BE EXCEEDED.	CONSIDER FOR OLD LANDFILL SITES
APC		3745-76-11	A-F	MONITORING OF OPERATIONS	REQUIRES SAMPLING PORTS, MONITORING OF GAS TEMPERATURE, PRESSURE AND COMPOSITION, GAS FLOW RATES, AND FLAME TEMPERATURE. DEMONSTRATE ADEQUATE PERFORMANCE OF ALTERNATIVE COLLECTION SYSTEMS. MONITOR SURFACE GAS CONCENTRATIONS.	CONSIDER FOR OLD LANDFILL SITES

APC		3745-76-12	A-G	REPORTING REQUIREMENTS	ESTABLISHES REPORTING REQUIREMENTS FOR LANDFILL SUBJECT TO NMOC EMISSION CONTROL RULES. INCLUDES DESIGN AND TECHNICAL DETAILS OF EQUIPMENT AS WELL AS RESULTS OF EMISSION MONITORING.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-13	A-E	RECORDKEEPING REQUIREMENTS	ESTABLISHES REQUIREMENTS FOR RECORDS TO BE KEPT AT SITES SUBJECT TO NMOC EMISSION RULES.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-14	A-C	SPECIFICATIONS FOR ACTIVE COLLECTION SYSTEMS	REQUIRES ADEQUATE DURABILITY AND PERFORMANCE OF GAS COLLECTION EQUIPMENT. GIVES TECHNICAL REQUIREMENTS TO BE MET.	CONSIDER FOR OLD LANDFILL SITES.
APC		3745-76-15	A-D	FLARE REQUIREMENTS	SPECIFIES PERFORMANCE REQUIREMENTS FOR FLARES INCLUDING GAS FLOW RATES AND MINIMUM BTU CONTENT OF GAS TO BE FLARED.	CONSIDER FOR OLD LANDFILL SITES
DW		3745-81-11	A,B,C	MAXIMUM CONTAMINANT LEVELS FOR INORGANIC CHEMICALS	PRESENTS MAXIMUM CONTAMINANT LEVELS FOR INORGANICS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-12	A,B,C	MAXIMUM CONTAMINANT LEVELS FOR ORGANIC CHEMICALS	PRESENTS MCLS FOR ORGANICS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-14	A-E	MAXIMUM MICROBIOLOGICAL CONTAMINANT LEVELS	PRESENTS MCLS FOR MICROBIOLOGICAL CONTAMINANTS	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-15	A,B	MAXIMUM CONTAMINANT LEVELS AND BEST AVAILABLE TECHNOLOGIES FOR RADIONUCLIDE CONTAMINANTS.	PRESENTS MCLS FOR RADIUM-226, RADIUM-228 AND GROSS ALPHA PARTICLE ACTIVITY.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-21	A,B	MICROBIOLOGICAL CONTAMINANT SAMPLING & ANALYTICAL REQ	PRESENTS SAMPLING AND ANALYTICAL REQUIREMENTS FOR MICROBIOLOGICAL CONTAMINANTS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-23	A,E	INORGANIC CONTAMINANT MONITORING REQUIREMENTS	PRESENTS MONITORING REQUIREMENTS FOR INORGANIC CONTAMINANTS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-24	A-E	ORGANIC CONTAMINANT MONITORING REQUIREMENTS	PRESENTS MONITORING REQUIREMENTS FOR ORGANIC CONTAMINANTS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.

DW		3745-81-25	A-D	ANALYTICAL METHODS FOR RADIOACTIVITY	PRESENTS ANALYTICAL METHODS FOR RADIOACTIVITY.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-26	A,B,C	MONITORING FREQUENCY FOR RADIOACTIVITY	PRESENTS MONITORING REQUIREMENTS FOR RADIOACTIVITY.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-27	A-E	ANALYTICAL TECHNIQUES	PRESENTS GENERAL ANALYTICAL TECHNIQUES FOR MCLS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.
DW		3745-81-60	A,B,C	SANITARY SURVEYS	SANITARY SURVEY REQUIREMENTS FOR SITES WHICH DO NOT COLLECT FIVE OR MORE ROUTINE TOTAL COLIFORM SAMPLES PER MONTH.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED OR HAS THE POTENTIAL FOR USE AS DRINKING WATER SOURCE
DW		3745-81-71	A,B	GEN REQ FOR FILTRATION & DISINFECTION FOR SURFACE WATER	TREATMENT STANDARDS FOR GIARDIA LAMBLIA, VIRUSES, HETEROTROPHIC PLATE COUNT BACTERIA, LEGIONELLA, TURBIDITY	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE
DW		3745-81-72	A,B	DISINFECTION OF WATER FROM SURFACE WATER SOURCES	DISINFECTION REQUIREMENTS AND TREATMENT OF SURFACE WATER	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED SURFACE WATER THAT IS EITHER BEING USED , OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE
DW		3745-81-73	A,B,C	FILTRATION OF WATER FROM SURFACE WATER SOURCES	CONVENTIONAL FILTRATION, SLOW SAND FILTRATION, OR OTHER FILTRATION TREATMENT TECHNOLOGIES FOR TREATMENT OF SURFACE WATER	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE
DW		3745-81-74	A-D	TURBIDITY AND DISINFECTION MONIT REQ. FOR SURFACE WATER	TURBIDITY AND DISINFECTION MONITORING REQUIREMENTS FOR SURFACE WATER SYSTEMS	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED SURFACE WATER THAT IS EITHER BEING USED OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE
ODH		3701:1	1-38,1-40,1-46,1-50	RADIATION PROTECTION	SETS STANDARDS FOR RADIATION HANDLING, INCLUDES REQUIREMENTS FOR LICENSURE, DOSAGE, RADIATION PROTECTION, TRANSPORTATION AND RECORD KEEPING	CONSIDER FOR SITES AT WHICH RADIOACTIVE WASTES WILL BE GENERATED