

## Hazardous Waste Generator Requirement Summary Table

Generator Requirements and OAC reference	Generator Category		
	CESQG	SQG	LQG
<b>Monthly Generation</b> 3745-52-34	≤ 2.2 lbs of "acute" hazardous waste ≤ 220 lbs of hazardous waste about ½ (55)g drum <sup>1</sup>	≤ 2.2 lbs of "acute" hazardous waste > 220 lbs about ½ (55)g Drum to < 2,200 lbs about (5) (55)g drums of hazardous waste	> 2.2 lbs of "acute" hazardous waste ≥ 2,200 lbs or more than 5 (55)g drums of hazardous waste
<b>Total Accumulation On-site</b> 3745-52-34	≤ 2.2 lbs of "acute" hazardous waste ≤ 2,200 lbs, about (5) (55)g drums of hazardous waste	≤ 2.2 lbs of "acute" hazardous waste > 220 lbs and < 13,200 lbs of hazardous waste, about 30 (55)g drums	> 2.2 lbs of "acute" hazardous waste ≥ 13,200 lbs of hazardous waste
<b>Hazardous Waste Determination</b> 3745-52-11	Required through process knowledge or analysis <b>(documentation required)</b>	Required through process knowledge or analysis <b>(documentation required)</b>	Required through process knowledge or analysis <b>(documentation required)</b>
<b>EPA ID Number</b> 3745-52-12	No applicable requirement	Required	Required
<b>Accumulation Time</b> 3745-51-05 3745-52-34	None 3745-51-05	180 days or 270 if the TSDF is > 200 miles away (30 day extension also available) 3745-52-34(D) to (F)	90 days (30 day extension also available) 3745-52-34(A)
<b>Generator Treatment</b> 3745-52-34	Permissible on-site but must follow LQG requirements	Can treat hazardous waste on-site for up to 180 days	Can treat hazardous waste on-site for up to 90 days
<b>Satellite Accumulation</b> 3745-52-34	No applicable requirement	Up to 55 gallons of non-acute or 1 quart of acutely hazardous waste at or near the point of generation	Up to 55 gallons of non-acute or 1 quart of acutely hazardous waste at or near the point of generation
<b>Container Management</b> 3745-66-70 to 77	No applicable requirement	Good condition compatible with waste labeled as hazardous waste maintain aisle space and lids conduct weekly inspections label accumulation start date (unless a satellite accumulation area)	Good condition compatible with waste labeled as hazardous waste maintain aisle space and lids subparts AA, BB and CC apply conduct weekly inspections label accumulation start date (unless a satellite accumulation area)
<b>Tank Management</b> 3745-66-90 to 99 and 3745-66-101	No applicable requirement	Good condition compatible with waste labeled as hazardous waste accumulation start date tracked daily inspections 3745-66-101	Good condition compatible with waste labeled as hazardous waste accumulation start date tracked daily inspections subparts AA, BB and CC apply secondary containment is required

1. The estimates of drum weight and volume is based on the density of water.

## Hazardous Waste Generator Requirement Summary Table

Generator Requirements and OAC reference	Generator Category		
	CESQG	SQG	LQG
<b>Pre-Transport Requirements</b> 3745-52-30 to 33	No applicable requirement	Packaging Labeling Marking Placarding	Packaging Labeling Marking Placarding
<b>Personnel Training</b> 3745-65-16	No applicable requirement	All employees must be thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities 3745-52-34(D)(5)(c)	Required with annual refresher
<b>Emergency Equipment</b> 3745-65-30 to 37	No applicable requirement	Internal communication or alarm system Telephone or two-way radio Fire, spill control and decontamination equipment	Internal communication or alarm system Telephone or two-way radio Fire, spill control and decontamination equipment
<b>Emergency Procedures &amp; Contingency Plan</b> 3745-65-51 to 56	No applicable requirement	Written plans are not required. Emergency procedures required 3745-52-34(D)(5)(d)	Written contingency plan and emergency procedures required
<b>Recordkeeping</b> 3745-52-40	Records of waste evaluation	Manifests LDR notification Exception reports Waste evaluation (kept on-site for at least 3 years)	Manifests LDR notification Exception reports Training records Annual reports Waste evaluation (kept on-site for at least 3 years)
<b>Manifesting</b> 3745-52-20 to 23	No applicable requirement	Required	Required
<b>Exception Reports</b> 3745-52-42	No applicable requirement	Notify and send a copy to Ohio EPA within 60 days	Contact the transporter and/or destination facility within 35 days and send report to Ohio EPA within 45 days
<b>Land Disposal Restriction Determination</b> 3745-270-07	No applicable requirement	Determine if waste must be treated before it can be land disposed (or write on manifest that a determination has not been made)	Determine if waste must be treated before it can be land disposed (or write on manifest that a determination has not been made)
<b>Land Disposal Restriction Notification</b> 3745-270-07	No applicable requirement	One-time written notice to each TSDf receiving your hazardous waste	One-time written notice to each TSDf receiving your hazardous waste
<b>Annual Reports</b> 3745-52-41	No applicable requirement	No applicable requirement	Required by March 1st

## Hazardous Waste Generator Recordkeeping Requirements Table

Recordkeeping Requirements (and OAC references)	Generator Category		
	CESQG	SQG	LQG
Hazardous Waste Determination 3745-52-40(C)	No records specifically required, but must be able to show compliance with 3745-52-11.	Required through process knowledge or analysis. Documentation required for at least three years.	Required through process knowledge or analysis. Documentation required for at least three years.
Inspections for areas where containers are stored. 3745-66-74(B)	Records not required	Must inspect areas where containers are stored, at least weekly, and record inspections in an inspection log or summary.	Must inspect areas where containers are stored, at least weekly, and record inspections in an inspection log or summary.
Manifest 3745-52-23	Records not required	Retain a signed copy for at least three years.	Retain a signed copy for at least three years.
Exception Report 3745-52-40(B)	Records not required	Record not required. Place note on manifest.	Retain a copy for at least three years from due date.
LDR Notifications, Certifications and Waste Analysis Data 3745-270-07	Records not required	Retain on-site for at least three years all notices, certifications, waste analysis data and other documentation pursuant to this rule.	Retain on-site for at least three years all notices, certifications, waste analysis data and other documentation pursuant to this rule.
Emergency Equipment 3745-65-33	Records not required	Record inspections of emergency in a log or summary.	Record inspections of emergency in a log or summary.
Annual Reports 3745-52-40(B)	Records not required	Records not required	Retain a copy for at least three years from due date.
Personnel Training Documents 3745-65-16(E)	Records not required	No records specifically required, but generators must ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures. 3745-52-34(D)(5)(c)	Training records on current personnel must be kept until <b>closure</b> of the facility. Training records on former employees must be kept for at least three years from the date the employee last worked at the facility.
Tank Inspection Logs 3745-66-95(C)	Records not required	Must record tank inspections in an operating log.	Must record tank inspections in an operating log.

**Note:**

The retention period is automatically extended during the source of any unresolved enforcement action regarding the regulated activity or as requested by the director.