



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

RE: Materion Brush Inc  
Permit – Intermediate  
Correspondence  
RCRA C – Hazardous Waste  
Ottawa  
OHD004212999

December 24, 2013

Mr. James E. Amburgey  
Materion Brush Inc.  
14710 W. Portage River South Road  
Elmore, Ohio 43416-9502

**Subject: HW Permit Modification - Class 1A Approval Letter**

Dear Mr. Amburgey:

On October 29, 2013, Ohio EPA received a request for a Class 1A (Class 1 requiring prior approval) hazardous waste permit modification (tracking number – 131029-1A-1) from Materion Brush Inc. (Materion). With this letter, Ohio EPA approves the above referenced Class 1A modification submitted pursuant to Ohio Administrative Code (OAC) Rule 3745-50-51.

The following modification has been made to your September 20, 2011, Ohio Hazardous Waste Facility Installation and Operation Permit:

- Permit Condition E.9(b)(ii) has been modified and permit condition E.9(b)(iii) has been added to require agency approval of the ground water monitoring plan for corrective action Unit 4.

The records of Ohio EPA have been changed accordingly. Attached is a copy of the revised terms and conditions. This has been included to ensure that all involved parties have written confirmation of the changes\*.

Ohio EPA has developed a customer service survey to get feedback from regulated entities that have contacted Ohio EPA for regulatory assistance, or worked with the Agency to obtain a permit, license or other authorization. Ohio EPA's goal is to provide our customers with the best possible customer service, and your feedback is important to us in meeting this goal. Please take a few minutes to complete this survey and share your experience with us at <http://www.surveymonkey.com/s/ohioepacustomersurvey>.

Mr. James E. Amburgey  
December 24, 2013  
Page 2

If you have any questions concerning this action, please contact Amber Hicks at the Ohio EPA Northwest District Office at (419) 373-3082.

Sincerely,



Shannon M. Nabors  
District Chief, Northwest District Office

/cg

Enclosure

pc: John Nyers, AAEU, DMWM CO  
DMWM-HW, NWDO File: Materion Brush – Permit  
DMWM-HW, NWDO File: Materion Brush Permit Terms and Conditions  
Chad Zajkowski, DDAGW, NWDO  
Gary Deutschman, DMWM, NWDO  
Lisa Gifford, DMWM, NWDO (w/o enc)  
Amber Hicks, DMWM, NWDO  
Dawn Pleiman, DERR, NWDO

ec: Steve Tuozzolo, AAEU, DMWM, CO  
Scott Hester, Supervisor, AAEU, DMWM, CO  
Amber Hicks, DMWM, NWDO  
Colleen Weaver, DMWM, NWDO  
Eric Getz, Asst. Chief, NWDO  
Gary Deutschman, DMWM, NWDO  
John Pasquarette, DMWM, NWDO  
[RCRAInfoData@epa.state.oh.us](mailto:RCRAInfoData@epa.state.oh.us)