

**ATTACHMENT B3b
(SCRAP TIRE SUBMERGENCE FACILITY)**

INFORMATION TO BE SHOWN ON PLANS AND/OR SUBMITTED WITH PLANS

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

DETAIL ENGINEERING PLAN COVER SHEET

(B)(1)(a)	Name of the scrap tire facility		
(B)(1)(b)	Precise geographic location, boundaries, etc.		
(B)(1)(c)	Name and address of the applicant		
(B)(1)(d)	Name and address of the owner and of the operator		
(B)(1)(e)	Name and address of the person who prepared the plans		
(B)(1)(f)	Index of plan sheets		

PLAN DRAWINGS

(B)(2)(b)(i)	All zoning classifications, property owners, political subdivisions		
(B)(2)(b)(ii)	Limits of sole source aquifer		
(B)(2)(b)(iii)	Limits of the regulatory floodplain		
(B)(2)(b)(iv)	National park or recreation area, candidate areas for potential inclusion into the national park system, and any state park or established state park purchase areas		
(B)(2)(b)(v)	State nature preserves, state wildlife areas, national and state scenic rivers, any national wildlife refuge, special interest areas, research natural areas in the Wayne National Forest, outstanding resource waters, coldwater habitats, and exceptional warmwater habitats		
(B)(2)(b)(vi)	Public and private water supply wells and their status (to be shown within 2,000' of waste placement)		
(B)(2)(b)(vii)	Limits of wellhead protection areas, etc.		
(B)(2)(b)(viii)	Surface and underground mining (to be shown within 2,000' of the limits of waste placement)		
(B)(2)(b)(ix)	Domiciles within 500 feet		
(B)(2)(b)(x)	Faults that have had displacement in Holocene time		
(B)(2)(c)	Limits of disturbance and the facility boundary		
(B)(3)(b)	Location of existing and proposed pipes and conduits, etc.		
(B)(3)(c)	Location of subsurface investigation sites		
(B)(3)(d)	Potentiometric map of the uppermost aquifer system		
(B)(3)(e)	Location of ground water control structures		
(B)(3)(f)	Diagram of phases		
(B)(3)(g)	Land set aside for leachate treatment/pretreatment		
(B)(3)(h)	Location of all surface waters		

 Initial

 Revised _____

date

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

PLAN DRAWINGS (continued)

(B)(4)(a)	Horizontal and vertical limits of excavation		
(B)(4)(b)	Horizontal limits and elevations of soil liner		
(B)(4)(f)	Grid system		

CROSS SECTIONS

(B)(5)(a)(i)	Existing topography		
(B)(5)(a)(ii)	Horizontal and vertical limits of excavation		
(B)(5)(b)(i)	Existing topography		
(B)(5)(b)(ii)	Limits of excavation		
(B)(5)(b)(iii)	Limits of waste placement		
(B)(5)(b)(iv)	Horizontal limits and top and bottom elevations of cap system		

SYSTEMATIC DEVELOPMENT PLANS

(B)(6)(a)	Any leachate management or surface water control structures to be installed prior to accepting waste in the depicted phase		
(B)(6)(b)	Extent of waste placement		
(B)(6)(c)	Contours of previously filled phases		
(B)(6)(d)	Limits of cover on previously filled phases		
(B)(6)(e)	Contours of bottom limits of waste placement		
(B)(6)(f)	Access roads		
(B)(6)(g)	Surface water flow and points of concentration and measures to control		

DETAIL DRAWINGS

(B)(7)(a)	Liner system, including interface between phases		
(B)(7)(f)	Sedimentation pond, discharge structures, etc.		

NARRATIVE DESCRIPTION/INFORMATION (Summary)

(C)(1)	Summary of the site environs, including discussion on compliance, waste placement limits, location restriction demonstrations, and operating criteria		
--------	---	--	--

VARIANCE AND EXEMPTION REQUESTS

(C)(2)	Any requests for variances and exemptions.		
--------	--	--	--

SITE INVESTIGATION (Description of geology and hydrogeology)

(C)(3)(b)(i)	Yield of regional aquifer		
(C)(3)(b)(ii)	Direction of flow in regional aquifer		
(C)(3)(b)(iii)	Recharge and discharge areas of regional aquifer		

Initial

Revised _____
date

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

SITE INVESTIGATION (Description of geology and hydrogeology, continued)

(C)(3)(b)(iv)	Regional stratigraphy		
(C)(3)(b)(iv)	Regional geomorphology		
(C)(3)(b)(iv)	Letter from ODNR regarding mining in area		
(C)(3)(b)(iv)	Documentation of who owns the mineral rights		
(C)(3)(b)(iv)	Letter from ODNR regarding oil and gas wells in area		
(C)(3)(b)(iv)	Letter from ACOE regarding wetland delineation		
(C)(3)(b)(iv)	Textural classification of soil - USCS		
(C)(3)(b)(iv)	Rock type		
(C)(3)(b)(iv)	Color, moisture content, etc		
(C)(3)(b)(iv)	Hydraulic conductivity		
(C)(3)(b)(iv)	Thickness		
(C)(3)(b)(iv)	Lateral extent		
(C)(3)(b)(iv)	Depth and elevation		
(C)(3)(b)(iv)	Variations in texture, etc.		
(C)(3)(b)(iv)	Local geomorphology		
(C)(3)(b)(iv)	Local structural geology		
(C)(3)(b)(iv)	Temporal fluctuations in ground water levels and effects on flow		
(C)(3)(b)(iv)	Interpretation of the ground water flow system		
(C)(3)(b)(iv)	Characterization of recharge and discharge areas of the site		
(C)(3)(b)(iv)	Yield of significant zones of saturation		
(C)(3)(b)(iv)	Justification, if necessary, that no 100 gpm aquifer is present		

SITE INVESTIGATION (Subsurface investigation information)

(C)(3)(e)(i)(a)	Publicly available well logs		
(C)(3)(e)(i)(b)	ODNR ground water resource maps		
(C)(3)(e)(i)(c)	Other publicly available information used for (C)(3)(b) and (B)(2)		
(C)(3)(e)(ii)	Logs of subsurface investigation		
(C)(3)(e)(iii)	Construction diagrams of wells and piezometers		
(C)(3)(e)(iv)	Logs of subsurface investigation		
(C)(3)(e)(v)(a)	Grain size distribution		
(C)(3)(e)(v)(b)	Atterberg limits		
(C)(3)(e)(v)(c)	Specific gravity		
(C)(3)(e)(v)(d)	Unit weight, in situ		
(C)(3)(e)(v)(e)	Moisture content, in situ		

Initial

Revised _____
date

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

SITE INVESTIGATION (Subsurface investigation information, continued)

(C)(3)(e)(v)(f)	Dry unit weight		
(C)(3)(e)(v)(g)	Results ASTM D3080, ASTM D2850, ASTM D6467 for bearing capacity		
(C)(3)(e)(v)(h)	Results ASTM D3080, ASTM D4767, ASTM D6467 for stability		
(C)(3)(e)(v)(i)	Results ASTM D2850 for pore water pressure		
(C)(3)(e)(v)(j)(i)	Coefficient of consolidation for settlement		
(C)(3)(e)(v)(j)(ii)	Over consolidation ratio for settlement		
(C)(3)(e)(v)(j)(iii)	Pre-construction pressure for settlement		
(C)(3)(e)(v)(j)(iv)	Compression index for settlement		
(C)(3)(e)(v)(j)(v)	Swelling index for settlement		
(C)(3)(e)(v)(j)(vi)	In situ void ratio for settlement		
(C)(3)(e)(v)(j)(vii)	Effective porosity for settlement		
(C)(3)(e)(vi)	Any other data		

SITE INVESTIGATION (Description of methodology)

(C)(3)(f)(i)	Sampling methods used to characterize soil and rock		
(C)(3)(f)(ii)	Analytical methods used to characterize soil and rock		
(C)(3)(f)(iii)	Methodology and procedures used to define the uppermost aquifer etc.		

STABILITY ANALYSIS

(C)(4)(a)(i)	Findings of subsurface investigation for hydrostatic uplift		
(C)(4)(a)(ii)	Rationale used for hydrostatic uplift parameters		
(C)(4)(a)(iii)	Method used to calculate hydrostatic uplift		
(C)(4)(a)(iv)	Assessed failure modes and conditions		
(C)(4)(a)(v)	Rationale used for hydrostatic critical cross-section		
(C)(4)(a)(vi)	Temporal high phreatic and piezometric surfaces		
(C)(4)(a)(vii)	Profile view of critical area		
(C)(4)(a)(viii)	Hydrostatic uplift calculations		
(C)(4)(b)(i)	Findings of subsurface investigation for bearing capacity		
(C)(4)(b)(ii)	Rationale used for bearing capacity parameters		
(C)(4)(b)(iii)	Method used to calculate bearing capacity		
(C)(4)(b)(iv)	Assessed failure modes and conditions		
(C)(4)(b)(v)	Profile view of critical area		
(C)(4)(b)(vi)	Plan view of critical cross-section		
(C)(4)(b)(vii)	Bearing capacity calculations		
(C)(4)(c)(i)	Findings of subsurface investigation for static stability		

Initial

Revised _____ date

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

STABILITY ANALYSIS (continued)

(C)(4)(c)(ii)	Rationale used for static stability parameters		
(C)(4)(c)(iii)	Method used to calculate static stability		
(C)(4)(c)(iv)	Assessed failure modes and conditions		
(C)(4)(c)(v)	Rationale for choosing internal, interim, and final slopes cross-sections		
(C)(4)(c)(vi)	Profile views of critical cross-sections		
(C)(4)(c)(vii)	Plan views of critical cross-sections		
(C)(4)(c)(viii)	Summary of results		
(C)(4)(c)(ix)	Static stability calculations		
(C)(4)(d)(i)	Findings of subsurface investigation for seismic stability		
(C)(4)(d)(ii)	Rationale used for seismic stability parameters		
(C)(4)(d)(iii)	Method used to calculate seismic stability		
(C)(4)(d)(iv)	Assessed failure modes and conditions		
(C)(4)(d)(v)	Rationale for choosing internal, interim, and final slopes cross-sections		
(C)(4)(d)(vi)	Profile views of critical cross-sections		
(C)(4)(d)(vii)	Plan views of critical cross-sections		
(C)(4)(d)(viii)	Summary of results		
(C)(4)(d)(ix)	Seismic stability calculations		
(C)(4)(e)(i)	Findings of subsurface investigation for settlement		
(C)(4)(e)(ii)	Rationale used for settlement parameters		
(C)(4)(e)(iii)	Method used to calculate settlement		
(C)(4)(e)(iv)	Assessed failure modes and conditions		
(C)(4)(e)(v)	Summary of results		
(C)(4)(e)(vi)	Settlement calculations		

CALCULATIONS

(C)(5)(a)	Volume and life of the facility and each unit		
(C)(5)(b)	Liner thickness		
(C)(5)(c)	Leachate head and flow		
(C)(5)(e)	Leachate storage tank size		
(C)(5)(f)	Pump size		
(C)(5)(g)	Pipe strength and pipe deflection		
(C)(5)(h)	Itemized closure costs - If not presented on PTI Attachment A		
(C)(5)(i)	Itemized post-closure care costs - If not presented on PTI Attachment A		
(C)(5)(j)	Soil erosion		
(C)(5)(l)	Sedimentation basin		
(C)(5)(m)	Other		

Initial

Revised _____
date

OAC 3745-27-70 PARAGRAPH	CONTENT	Plan Drawing No.	Section No.
-----------------------------	---------	---------------------	----------------

CONSTRUCTION INFORMATION

(C)(6)	Physical and chemical resistance of FML and LCS pipes		
(C)(6)	Compaction equipment slope limitations		

OPERATIONAL INFORMATION

(C)(7)(a)	Authorized maximum daily waste receipt		
(C)(7)(b)	Technique of waste receipt		

PLANS

(C)(8)(a)	QA/QC plan		
(C)(8)(b)	Final closure/post-closure care plan		

NOTIFICATIONS AND CERTIFICATION

(C)(9)(a)(i)	Letter of intent to the local government authority		
(C)(9)(a)(ii)	Letter of intent to the solid waste management district		
(C)(9)(a)(iii)	Letter of intent to the owner or lessee		
(C)(9)(a)(iv)	Letter of intent to the local zoning authority		
(C)(9)(a)(v)	Letter of intent to the park system administrator		
(C)(9)(a)(vi)	Letter of intent to the conservancy district		
(C)(9)(b)	List of permits, licenses, plans approvals, authorizations that have been applied for - If not presented on PTI Attachment A		
(C)(9)(c)	Proof of property ownership or lease agreement		