



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

OHIO E.P.A.

JUL - 1 2014

ENTERED DIRECTOR'S JOURNAL

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

By: [Signature] Date: 7-1-14

JUL 01 2014

Mr. Jerry Kinsella, PG
Rumpke Waste, Inc.
10795 Hughes Road
Cincinnati, Ohio 45251

RE: Brown County Sanitary Landfill
Director's Authorization
Final Approval
Municipal Solid Waste Landfill
Brown County
MSWL018788

**Subject: Rumpke Waste, Inc., Brown County Sanitary Landfill
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Kinsella:

On May 13, 2014, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Southwest District Office, (SWDO) received a document titled "Alternate Source Demonstration Report for Ground Water Monitoring Wells P-5S, P-6S and P-10S" dated May 12, 2014, for the Brown County Landfill (Facility) located in Brown County. This document was submitted by SCS Engineering on behalf of Rumpke Waste, Inc., and contains the ground water sampling results and the statistical analysis from the December 3 and 4, 2013 ground water sampling event at the Facility.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant change was detected: sodium in monitoring well P-5S, chloride in monitoring well P-6S, and ammonia in monitoring well P-10S.

Pursuant to OAC rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring not later than two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC rule 3745-27-10(E) for ground water quality assessment monitoring.

Mr. Jerry Kinsella, PG
Rumpke Waste, Inc.
Page 2

The conclusion supported in the May 12, 2014 document is that the statistically significant changes for sodium at monitoring well P-5S, chloride in monitoring well P-6S, and ammonia in monitoring well P-10S were due to natural variations in ground water quality, and not as a result of impact from the landfill.

Ohio EPA staff has reviewed the applicable information and concurs with the demonstration included in the May 12, 2014 document. Therefore, pursuant to OAC rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well P-5S, P-6S, and P-10S.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High St., 17th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Pat Willoughby, Ohio EPA, Southwest district Office at (937) 285-6648

Sincerely,



Mike Proffitt, Assistant Chief
Southwest District
for Craig W. Butler, Director

cc: Tracy Buchanan, DMWM/SWDO
Steven Dick, Brown County Health Department