



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

JUN 17 2014

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

OHIO E.P.A.

JUN 17 2014

ENTERED DIRECTOR'S JOURNAL

By: Imge Lassiter Date: 6-17-14

Mr. Randy Traub
County Environmental of Wyandot
11164 County Highway 4
Carey, Ohio 43316-9750

Re: County Environmental of Wyandot
Director's Authorization
Approval
Municipal Solid Waste Landfills
Wyandot County
MSWL018797

**Subject: County Environmental of Wyandot Landfill, Wyandot County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Traub:

On March 13, 2014, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northwest District Office (NWDO) received a document titled, "*County Environmental Landfill of Wyandot 2013 Second Semiannual Event Alternate Source Demonstration for Copper in BW-3 and Request for Director's Approval According to OAC 3745-27-10(D)(7)(c)(ii)*" dated March 11, 2014, for the County Environmental of Wyandot Landfill (Facility) located in Wyandot County. The above referenced document was submitted by Eagon and Associates, on behalf of the owner/operator of County Environmental of Wyandot Landfill.

The submittal contained arguments for the alternate source demonstration for copper in BW-3 including the February 17, 2014, resampling values and the presentation of time-series and trend plots for other inorganic parameters in well BW-3.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA.

The March 11, 2014, document demonstrated that the statistically significant change in well BW-3 was due to an error in sampling or analysis, and not as a result of impact from the landfill.

Ohio EPA has reviewed the applicable information and concurs with the demonstration for copper in well BW-3. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii) the owner/operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well BW-3. Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

Mr. Randy Traub
Page 2

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Tyler Madeker of Ohio EPA, NWDO at 419-373-3078.

Sincerely,



Shannon Nabors, Chief
Northwest District Office
for Craig W. Butler, Director

SN/cg

pc: Jeff Richey, Wyandot County Health Department
Tom Jenkins, Eagon and Associates
Joe Montello, Republic Services
Jim Adams, Republic Services
Scott Hester, DMWM-CO
ec: Ken Brock, DDAGW-NWDO
Randy Skrzyniecki, DDAGW-NWDO
Mike Reiser, DMWM-NWDO
Tyler Madeker, DMWM-NWDO
Andy Drumm, Ohio EPA-DMWM
5-13298