



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
122 S. Front Street
Columbus, Ohio 43215

TELE: (614)644-3020 FAX: (614)644-2329

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

APR 4 2002

OHIO E.P.A.
APR - 4 2002
ENTERED DIRECTOR'S JOURNAL

Lucas County Commissioners
One Government Center, Suite 8000
Toledo, Ohio 43614

Re: King Road Landfill
Explosive Gas Monitoring Plan Approval

Dear Commissioners:

On January 7, 1998, the Lucas County Commissioners, the owner/operator of the King Road Landfill, submitted to the Ohio Environmental Protection Agency (Ohio EPA) an Explosive Gas Monitoring Plan (EGMP). Subsequent revisions were submitted to Ohio EPA on September 20, 2000; December 19, 2000; August 9, 2001; and December 20, 2001. The EGMP is comprised of the following documents:

- Explosive Gas Monitoring System Design; dated December 2001
- Explosive Gas Monitoring, Sampling, and Reporting Procedures; dated December 2001

The revised EGMP is hereby approved by Ohio EPA with the following conditions.

1. The Director of Environmental Protection (Director), or a representative authorized by the Director, may enter the premises of the above named applicant at any time during construction or operation to inspect, conduct tests, or examine records and reports pertaining to the construction, modification, or installation of the explosive, **gas** monitoring system, or for any other lawful purpose.
2. Issuance of this explosive gas monitoring plan approval does not constitute expressed or implied agreement that the monitoring of the facility performed and/or implemented in accordance with the approved explosive gas monitoring plan and/or its terms and conditions will constitute compliance with applicable state and federal laws, rules, and regulations, nor does issuance of this plan approval assure that necessary operating permits or licenses will be granted.

OHIO EPA
APR 4 2002
ENTERED DIRECTOR'S JOURNAL
APPROVED BY
ENVIRONMENTAL PROTECTION AGENCY
Zeno Klenow

Bob Taff, Governor
Maureen O'Connor, Lieutenant Governor
Christopher Jones, Director

King Road Landfill, Lucas County
Explosive Gas Monitoring Plan Approval
Page 2 of 2

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the ground upon which the appeal is based. The appeal shall be filed with the Commission within thirty (30) days after notice of the action. A copy of the appeal shall be filed with the Director within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Sincerely,



Christopher Jones
Director

cc: Toledo-Lucas County Health Department
James Shaw, Lucas County Sanitary Engineer
Susan Sholl, The Mannik and Smith Group
Paul Jayko, DERR, NWDO
Amy Heller, DSIWM, NWDO