



State of Ohio Environmental Protection Agency

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center
122 S. Front Street
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

P.O. Box 1049
Columbus, Ohio 43216-1049

Mr. Dennis Gehle
County Environmental of Wyandot
11164 County Highway 4
Carey, OH 43316-9750

**Re: County Environmental of Wyandot, Wyandot County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(a) Approval**

Dear Mr. Gehle:

On June 23, 2005, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "April 11, 2005 Resample Data," dated June 23, 2005, for County Environmental of Wyandot (Facility) located in Wyandot County. This document was submitted by Eagon and Associates, on behalf of County Environmental of Wyandot, pursuant to OAC Rule 3745-27-10(E)(9)(a), and requested reinstatement of the ground water detection monitoring program for specific monitoring wells at the Facility and to release the owner or operator from the obligation to comply with the ground water quality assessment monitoring program implemented due to the detection of statistically significant changes for chromium, chloride and nickel in monitoring wells BW-4 and RW-10 during the September 2003 ground water sampling event at the Facility.

Pursuant to OAC Rule 3745-27-10(E)(9)(a), the owner or operator may determine that the concentrations of **all waste-derived constituents** at all of the monitoring wells in a ground water quality assessment monitoring program, and at any additional wells that may have been installed as part of this assessment monitoring program, are shown to be at or below background values for two consecutive sampling events and may request that the director approve reinstatement of the ground water detection monitoring program for these monitoring wells and release the owner or operator from the obligation to comply with the ground water quality assessment monitoring program requirements at the Facility.

Based on the information contained in the request, the results of two consecutive sampling events, conducted in October 2004 and December 2004, indicated that the concentrations of all waste-derived constituents, including chromium, chloride and nickel, were at or below background values. Ohio EPA has reviewed the applicable information and concurs with this conclusion. Therefore, pursuant to OAC Rule 3745-27-10(E)(9)(a), I hereby approve reinstatement of the ground water detection monitoring program for the monitoring wells in the ground water quality assessment monitoring program, noted above, and release the owner or

Bob Taft, Governor
Jennette Bradley, Lieutenant Governor
Joseph P. Koncelik, Director

Mr. Dennis Gehle
County Environmental of Wyandot
Page 2 of 2

operator from the obligation to comply with this assessment monitoring program at the Facility. This approval of reinstatement of the detection monitoring program applies to monitoring wells BW-4 and RW-10.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director within three (3) days after filing with the Commission. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Mike Reiser of Ohio EPA, NWDO at 419-373-3126.

Sincerely,

Shannon Nabors, Chief
Northwest District Office
for Joseph P. Koncelik, Director

cc: Ellen Gerber, DSIWM-NWDO
Scott Hester, DSIWM-CO
Jeff Richey, Wyandot County Health Department
Thomas Jenkins, Eagon and Associates
Elena Goodhall, Allied Waste