



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

Ms. Elena Goodhall  
County Environmental of Wyandot  
11164 County Road 4  
Carey, OH 43361-9750

**Re: County Environmental of Wyandot, Wyandot County  
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b) Approval**

Dear Ms. Goodhall:

On November 24, 2006, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "OAC 3745-27-10(D)(7)(c)(ii) Demonstration for SW-9, SW-12, RW-10, and BW-1" dated November 22, 2006, for the County Environmental of Wyandot Landfill (Facility) located in Wyandot County. This document was submitted by Eagon & Associates, Inc. on behalf of the owner/operator, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), for continuation of detection monitoring at County Environmental of Wyandot Landfill. However, since the time limits in accordance with OAC Rule 3745-27-10(D)(7)(c)(ii) were exceeded, Ohio EPA has reviewed this request pursuant to OAC Rule 3745-27-10(E)(9)(b).

Pursuant to OAC Rule 3745-27-10(E)(9)(b), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or from natural variation in ground water quality and request that the director approve reinstatement of the detection monitoring program.

The November 22, 2006 document concluded that the statistically significant changes for BW-1, RW-10 and SW-9 were due to natural variability relative to copper in monitoring well BW-1, potassium in monitoring well RW-10 and chloride in monitoring well SW-9 during the June 12, 2006 semiannual sampling event, and not as a result of impact from the landfill. Ohio EPA has reviewed the applicable information and concurs with this conclusion. Therefore, pursuant to OAC Rule 3745-27-10(E)(9)(b), I hereby approve reinstatement of the ground water detection monitoring program for the monitoring wells in the ground water quality assessment monitoring program, noted above, and release the owner or operator from the obligation to comply with this assessment monitoring program at the Facility. This approval of reinstatement of the detection monitoring program applies to copper in monitoring well BW-1, potassium in monitoring well RW-10 and chloride in monitoring well SW-9.

A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

**Environmental Review Appeals Commission  
309 South Fourth Street  
Room 222  
Columbus, Ohio 43215**

If you have any questions concerning this letter, please contact Mike Reiser of Ohio EPA, NWDO at (419) 373-3126.

Sincerely,

Shannon Nabors, District Chief  
Northwest District Office  
for Laura H. Powell, Acting Director

PC: Jeff Richey, Wyandot County Health Department  
Scott Hester, DSIWM, CO  
Ken Brock, DDAGW, NWDO  
Jack Leow, DDAGW, NWDO  
Mike Reiser, DSIWM, NWDO  
Thomas Jenkins, Eagon & Associates