



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

Mr. Rick Kostelnick
County Environmental of Wyandot
11164 County Highway 4
Carey, Ohio 43316-9750

**Re: County Environmental of Wyandot Landfill, Wyandot County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b)
Response to Request to Reinstate Detection Monitoring**

Dear Mr. Kostelnick:

On May 30, 2008, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "(D)(7)(c)(ii) Demonstration for BW-1, BW-2, BW-4, RW-11 and RW-12" dated May 29, 2008, for the County Environmental of Wyandot Landfill (Facility) located in Wyandot County. The document was submitted by Eagon and Associates, Inc., on behalf of the owner/operator of the Facility. The document contains the ground water sampling results and the statistical analyses for samples collected during the December 3, through December 5, 2007 sampling event, and the January 24, February 6, and April 7, 2008 resampling events. Since the time limits in accordance with OAC Rule 3745-27-10(D)(7)(c)(ii) were exceeded, Ohio EPA has reviewed this request pursuant to OAC Rule 3745-27-10(E)(9)(b).

Pursuant to OAC Rule 3745-27-10(E)(9)(b), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or from natural variation in ground water quality and request that the director approve reinstatement of the detection monitoring program.

The May 29, 2008 document concluded that the statistically significant change for chloride at well BW-2 was due to natural variation in ground water quality, and not as a result of impact from the landfill.

Ohio EPA has reviewed the applicable information and has determined that the owner or operator has not demonstrated that the statistically significant increase in chloride at well BW-2 is not the result of impact from the Facility. Therefore, I cannot grant approval to reinstate ground water monitoring well BW-2 back into the ground water detection monitoring program at the Facility. The owner or operator shall comply with the ground water quality assessment program pursuant to OAC Rule 3745-27-10(E).

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Mr. Rick Kostelnick
County Environmental of Wyandot
Page 2 of 2

The demonstration for ground water monitoring wells BW-1, BW-4, RW-11, and RW-12 will be addressed under separate correspondence.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

If you have any questions concerning this letter, please contact Tyler Madeker of Ohio EPA, NWDO at (419) 373-3078.

Sincerely,

Chris Korleski, Director

pc: Jeff Richey, Wyandot County Health Department
Tom Jenkins, Eagon and Associates
Joe Montello, Allied Waste
Scott Hester, DSIWM-CO
Tyler Madeker, DSIWM-NWDO
Mike Reiser, DSIWM-NWDO
Ken Brock, DDAGW-NWDO
Jack Leow, DDAGW-NWDO, 5-7807