



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

May 27, 2009

Mr. Frank Fello
Waste Management
3415 Twp. Rd #447
Glenford, OH 43739

**Re: Stony Hollow RDF, Montgomery County
Ohio Administrative Code (OAC) Rule 3745-27-10(C)(7)(g) Approval**

Dear Mr. Fello:

On November 19, 2008, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Southwest District Office (SWDO), received a document titled "Ground Water Statistical Analysis Program for Ground Water Quality Monitoring," for the Stony Hollow RDF located in Montgomery County. This document was submitted by Eagon & Associates, Inc., on behalf of Stony Hollow RDF (Facility).

The Facility has requested approval to update background groundwater data for monitoring wells MW-3R, MW-4R, MW-6R, MW-8RR, MW-12R, and MW-12PS. Pursuant to OAC Rule 3745-27-10(C)(7)(g), background data can be added only in blocks of data resulting from the analysis of four or more statistically independent samples after the data have been statistically compared to current background data and no statistical differences are detected, unless another method is deemed acceptable to the Director.

Ohio EPA has reviewed the proposal and concurs that chloride concentrations in monitoring wells MW-3R, MW-8RR, and MW-12R; sodium concentrations in monitoring wells MW-4R, MW-8RR, MW-12R, and MW-12PS; iron concentrations in monitoring well MW-6R; barium concentrations in monitoring well MW-8RR; and ammonia concentrations in monitoring well MW-12R are attributed to natural variability in the ground water. Therefore, pursuant to OAC Rule 3745-27-10(C)(7)(g), the Facility is authorized to add data from October 2004 through May 2008 (more than four data points) to the background data set for chloride in monitoring wells MW-3R, MW-8RR, and MW-12R; sodium in monitoring wells MW-4R, MW-8RR, MW-12R, and MW-12PS; iron in monitoring well MW-6R; barium in monitoring well MW-8RR; and ammonia in monitoring well MW-12R.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Mr. Alvie Green
Page 2

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeal Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street Room 222
Columbus, Ohio 43215

If you have any questions, concerning this letter, please contact Betty Arthungal of the Ohio EPA, SWDO at (937) 285-6048.

Sincerely,

Thomas A. Winston, P.E.
Chief, Southwest District Office
for Chris Korleski
Director, Ohio Environmental Protection Agency

cc: Tracy Buchanan, DSIWM-SWDO
Paul Stuart, Montgomery County Health Department
Greg Brown, Ohio EPA, SWDO, DDAGW