



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

June 1, 2009

Ms. Robin Jones  
Project Manager Closed Sites  
Waste Management  
P.O. Box 13506  
Dayton, Ohio 45413

**Re: ELDA Recycling and Disposal Facility Closed Landfill, Hamilton County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Ms. Jones:

On February 09, 2009, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Southwest District Office (SWDO) received a document titled "2008 Second Semiannual Ground-Water Results and Statistical Analysis, ELDA Recycling and Disposal Facility" dated February 3, 2009, for ELDA Recycling and Disposal Facility (Facility) located in Hamilton County. This document was submitted by Eagon & Associates Inc., on behalf of Waste Management, Inc., and provides analysis of the ground water detection monitoring data and an OAC Rule 3745-27-10(D)(7)(c)(ii) demonstration.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant changes were detected: selenium in monitoring wells W-18AR, chloride and barium in monitoring well E-20AR.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring within two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

The February 3, 2009 document concluded that the statistically significant change for selenium at monitoring well W-18AR was due an error in statistical evaluation and was not a result of impact from the landfill. The chloride and barium in monitoring well E-20AR were due to natural variation in ground water quality, and were not a result of impact from the landfill.

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

Mr. Alvie Green  
Page 2

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the February 3, 2009 document. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring wells W-18AR and E-20AR.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact John McGinnis of Ohio EPA, SWDO at (937) 285-6449.

Sincerely,

Thomas A. Winston, P.E.  
Chief, Southwest District Office  
for Chris Korleski, Director

cc: Tracy Buchanan, DSIWM-SWDO  
Scott Hester, DSIWM-CO  
Richard Thornburg, Cincinnati Health Department