



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

June 29, 2009

Mr. Randy Traub
County Environmental of Wyandot
11164 County Highway 4
Carey, Ohio 43316-9750

**Re: County Environmental of Wyandot Landfill, Wyandot County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b) Approval**

Dear Mr. Traub:

On May 11, 2009, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "*(E)(9)(b) Request to Reinstate the Detection Monitoring Program for SW-10, SW-11, SW-12 and RW-12*" dated May 8, 2009, for the County Environmental of Wyandot Landfill (Facility) located in Wyandot County. The document was submitted by Eagon & Associates, on behalf of the owner/operator of the Facility.

Pursuant to OAC Rule 3745-27-10(E)(9)(b), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or from natural variation in ground water quality and request that the director approve reinstatement of the detection monitoring program.

The May 8, 2009, document concluded that the statistically significant change for chloride at wells SW-10, SW-12, and RW-12 resulted from an error in statistical evaluation and not as a result of impact from the landfill, and the statistically significant change for copper and zinc at well SW-11 resulted from an error in sampling and not as a result of impact from the landfill.

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the May 8, 2009, document for wells SW-10, SW-11, SW-12, and RW-12. Therefore, pursuant to OAC Rule 3745-27-10(E)(9)(b), I hereby approve reinstatement of the ground water detection monitoring program for the monitoring wells in the ground water quality assessment monitoring program, noted above, and release the owner or operator from the obligation to comply with this assessment monitoring program at the Facility. This approval of reinstatement of the detection monitoring program applies to monitoring wells SW-10, SW-11, SW-12, and RW-12.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

Mr. Randy Traub
Page 3

If you have any questions concerning this letter, please contact Brent M. Goetz of Ohio EPA, NWDO at 419-373-4114.

Sincerely,

Shannon Nabors, Chief
Northwest District Office
for Chris Korleski, Director

cc: Jeff Richey, Wyandot County Health Department
Tom Jenkins, Eagon and Associates
Joe Montello, Allied Waste
Scott Hester, DSIWM-CO
Brent Goetz, DSIWM-NWDO
Mike Reiser, DSIWM-NWDO
Ken Brock, DDAGW-NWDO
Jack Leow, DDAGW-NWDO, 5-8533