



State of Ohio Environmental Protection Agency

STREET ADDRESS

Lazarus Government Center
122 S. Front Street
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

OHIO E.P.A.

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

JUL 16 2001

ENTERED DIRECTOR'S JOURNAL

JUL 16 2001

Mr. John Schmidt, Safety/Service Director
City of Greenville
100 Public Square
Municipal Building
Greenville, Ohio 45331

I certify this to be a true and accurate copy of the
official document as filed in the records of the Ohio
Environmental Protection Agency

By Donna Jacobs date 7-16-01

Re: **City of Greenville Landfill, Darke County
Explosive Gas Monitoring Plan Approval**

Dear Mr. Schmidt:

On May 17, 2001, an explosive gas monitoring plan was submitted by Hull & Associates, Inc. on behalf of the City of Greenville for the closed City of Greenville Landfill. The plan was submitted pursuant to Ohio Administrative Code (OAC) Rule 3745-27-12. The plan consists of a two-part document titled *Explosive Gas Monitoring Plan, for the Closed City of Greenville Landfill, Greenville, Ohio*.

The plan is in substantial compliance with OAC Rule 3745-27-12, and is, therefore, hereby approved.

Issuance of this approval does not constitute expressed or implied agreement that the monitoring of the facility, if performed and implemented in accordance with the approved explosive gas monitoring plan and/or its terms and conditions, will constitute compliance with all applicable state and federal laws, rules and regulations.

You are hereby notified that this action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the commission within 30 days after notice of the director's action. A copy of the appeal must be served on the director within three days of filing with the commission. An appeal may be filed with the commission at the following address:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 432150236

Bob Taft, Governor
Maureen O'Connor, Lieutenant Governor
Christopher Jones, Director

City of Greenville Landfill, Darke County
Explosive Gas Monitoring Plan Approval
Page 2 of 2

If you have any questions concerning this approval, please contact Holly Hillyer of Ohio EPA, Southeast District Office at (937) 285-6357.

Sincerely,

A handwritten signature in black ink, appearing to read "Christopher Jones". The signature is fluid and cursive, with a large initial "C" and a long, sweeping underline.

Christopher Jones
Director

cc: Darke County Health Department
Holly Hillyer, DSIWM, SWDO
Scott Hester, DSIWM, CO ✓